



International

DIRECTIONS FOR USE

Add a small quantity of water to a suitable compression sprayer and then add product according to the table below. Add the remainder of the water, close the sprayer securely, shake to mix contents. Pressurise according to the sprayer manufacturer's instructions. One litre of ready-for-use spray treats 20 square metres of surface. Make up spray as required. Do not store spray overnight.

TARGET PEST	PRODUCT	WATER	COMMENTS
CRAWLING INSECTS <i>Routine treatment:</i> <i>Heavy infestation:</i>	25ml 50ml	5 litres 5 litres	<i>Maintenance or 'spot' treatment</i> <i>Attack or 'clean-out' treatment</i>
FLYING INSECTS <i>Routine treatment:</i>	25ml	5 litres	<i>For the control of 'resting insects'</i>

Apply as a coarse low pressure spray. Some surfaces will absorb more spray, e.g. brickwork or concrete, whereas surfaces such as metal or plastic will allow spray to easily 'run off' significantly reducing the deposit rate of the active material on the surface. Several passes of a light spray each allowed to dry is more effective when treating non-porous surfaces.

Bedbugs: Apply spray to harbourages and resting places on bedframes, headboards and to cracks and crevices around or near the sleeping area. Pay special attention to any loose wall coverings near the sleeping area and to cracks and crevices in bedroom fittings and furniture. Treat under loose floor coverings and around doorframes, picture frames and wall cupboards etc.

Fleas: Prior to treatment, thoroughly vacuum the area and seal the contents of the vacuum bag before disposal in the refuse. Apply spray to carpets and soft furnishings, including the underside of cushions and to areas regularly occupied by domestic animals.

Cockroaches and other crawling insects: Apply to areas where insects are found, e.g. skirting boards, storage areas, around water pipes, doorframes, window frames, around and behind refrigerators, cabinets, sinks, stoves and the underside of drawers and shelves and to cracks and crevices behind wall-mounted units or fixtures.

FOR INDOOR USE ONLY. The (COSHH) Control of Substances Hazardous to Health Regulations 2002 (as amended) apply to the use of this product at work. This material and its container must be disposed of in a safe way. To avoid risks to human health and the environment, comply with the instructions for use. Avoid excessive contamination of coveralls. WASH HANDS AND EXPOSED SKIN before meals and after use. DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES. UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS UNTIL SURFACES ARE DRY. EXCLUDE ANIMALS DURING APPLICATION. DO NOT APPLY DIRECTLY TO ANIMALS. DO NOT APPLY TO CLOTHING OR HUMAN BEDDING. DO NOT TOUCH TREATED SURFACES UNTIL DRY. HAZARDOUS TO BEES. ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRY ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES. KEEP IN A SAFE PLACE. COVER ALL WATER STORAGE TANKS before application. REMOVE OR COVER FISH TANKS AND BOWLS before application. SPRAY ONLY ONTO SURFACES.

STATUTORY CONDITIONS RELATING TO USE

FOR USE ONLY BY PROFESSIONAL OPERATORS. FOR USE ONLY AS AN INSECTICIDE. Users must comply in full with their legal responsibilities under the Control of Pesticide Regulations 1986 (as amended), including complying with all Conditions of Approval.
Read all precautions before use.
HSE No. 10078

PCs No. 99105

PRECAUTIONS

Do not breathe vapour/ spray. Wash contaminated skin thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/ attention if you feel unwell. Collect spillage. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/ container in accordance with national regulations.



Harmful if swallowed or inhaled. May cause respiratory irritation. May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects.

PelGar International Ltd.

Unit 13 Newman Lane,
Alton, Hampshire,
GU34 2QR. UK.

Tel. +44 (0)1420 80744
www.pelgar.co.uk

CIMETROL SUPER^{EW}

CONTAINS 25% w/w CYPERMETHRIN, 10% w/w TETRAMETHRIN,
20% w/w PIPERONYL BUTOXIDE & 1% w/w OF THE
INSECT GROWTH REGULATOR PYRIPROXYFEN,
FORMULATED AS IN AN OIL-IN-WATER EMULSION (EW).

FORMULATED FOR TOTAL PEST CONTROL

For use as a surface spray for the control of bedbugs, fleas, cockroaches, beetles (and their larvae), flies, mosquitoes, moths (and their larvae) and wasps. For use inside all domestic, commercial and industrial premises including kitchens, hotels, dormitories and sleeping areas, hospitals (excluding occupied wards), military establishments and food storage and processing areas.

500ml