

FENDONA® 6 SC

STATUTORY CONDITIONS RELATING TO USE					
FOR USE ONLY AS AN INSECTICIDE					
Normal rate: Special rate:	dilute 25 ml product in 5 li apply 1 litre diluted produ dilute 50 ml product in 5 li then apply 1 litre diluted p 20m ² surface	ct per 20m ² surface itres of water,			
Animal nusbandry use:	when used in premises th by birds, the product is to more than twice per crop.	be applied no			
o be applied as a	coarse spray only at low pre	essure.			
Regulations 2000 r JK only.	trol of Substances Hazardo nay apply to the use of this Y PROFESSIONAL OPERA	product at work –			
	ective clothing.				
AUNDER REGUL Do not breathe spre- equipment and eye G) 53: "Respirator users"). However, e protective equipme	E CONTAMINATION OF CC ARLY. ay. Otherwise wear respirato protection (see HSE Guida y Protective Equipment – a engineering controls may rej and if a COSHH assessment standard of protection.	ory protective ance Booklet HS practical guide for place personal			
FOOD CONTACT S COVER WATER S THIS MATERIAL A safe way. DO NOT APPLY DI XTREMELY DAN REMOVE OR COV application. DO NOT CONTAM container.	ORAGE TANKS before app ND ITS CONTAINER must RECTLY TO ANIMALS. GEROUS TO FISH AND OT ER FISH TANKS AND BOV INATE watercourses with cl	olication. be disposed of in THER AQUATIC LIFE. /LS before nemical or used			
AZARDOUS TO I	RECTLY TO LIVESTOCK A BEES. ERSONS AND ANIMALS S ATED AREAS UNTIL SURF	HOULD BE KEPT			
READ ALL PRECA	UTIONS BEFORE USE.	HSE 4455 PCS 93388			





DIRECTIONS FOR USE

Apply using any conventional manual or power sprayer equipped to produce a coarse spray. Add the appropriate volume of Fendona 6 SC to the required volume of clean water and agitate. If a delay occurs between treatments, re-agitate before re-use. Apply to just before run-off, using 1 litre diluted product per 20m², to surfaces frequented by pests, especially cracks, crevices and behind furnishings and equipment.

Flying insects: Apply to surfaces where insects settle. Note: This product must not be used against houseflies in intensive or controlled environment animal houses because it is likely to cause control failure due to insecticide resistance.

Cockroaches and other crawling insects: Spray around service ducts, behind and under fittings and equipment. If insects are entering from outside, spray barrier strips 10 cm wide at doors, windows etc.

Litter beetles (lesser mealworm): Apply as a routine treatment after clean-out and before each new crop. Spray all vertical surfaces, e. g. walls, dividers and posts, and ensure an overlap on to ceilings. It is not necessary to treat the floor.

Poultry red mite: Apply at the normal rate at the beginning of the crop cycle before the birds enter the house. Spray the entire surfaces of cages, nest boxes, percheries and floors where appropriate. Pay particular attention to corrers, cracks and crevices which may harbour mites. Do not spray the birds directly when used during the crop cycle.

The **Normal rate** is for the routine treatment of crawling and flying pests; use 25ml per 5 litres then apply 1 litre diluted product per 20m² surface

The Special rate is for use where extreme residual action is required and/or surfaces are dirty or highly absorbent; use 50ml per 5 litres then apply 1 litre diluted product per 20m² surface

Slacken dispenser chamber top. Squeeze bottle to fill chamber to required volume. Open and pour. After dispensing close tops tightly.



This product must not be used against houseflies in intensive or controlled environment animal houses because it is likely to cause control failure due to insecticide resistance.

PRECAUTIONS

WASH SPLASHES from skin or eyes immediately. WASH HANDS AND EXPOSED SKIN before meals and after use.

Keep only in the original container.

Keep container tightly closed.

KEEP IN A SAFE PLACE.

COLLECT EGGS AND REMOVE FEED, EXPOSED WATER AND MILK BEFORE APPLICATION.

Keep out of the reach of children.

Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke.

Avoid contact with skin.

Use appropriate containment to avoid environmental contamination.

To avoid risks to man and the environment, comply with instructions for use.

FIRST AID

Remove contaminated clothing immediately and wash contaminated skin throughly with scap and water. In cases of eye splashes, flush eyes immediately with plenty of clean water and obtain medical attention. In cases of severe skin exposure typical sensations of the exposed skin, especially the face and other areas of tender skin, may appear. These may be tingling, burning or numbness. These sensations will wear off in a few hours. If other symptoms should occur refer to a doctor or the nearest hospital, show the label.

MEDICAL ADVICE

Contains a pyrethroid insecticide. This product is of low toxicity by oral and dermal routes. Poisoning is unlikely to occur. Treat symptomatically. For further advice contact the National Poisons Information Centre.

This product is approved under The Control of Pesticides Regulations 1986 (UK only) for use as directed.





Section 6 of the Health and Safety at Work Act Additional Product Safety Information

The product label provides information on a specific pesticidal use of the product; do not use otherwise, unless you have assessed any potential hazard involved, the safety measures required and that the particular use has "offlabel" approval or is otherwise permitted under the Control of Pesticides Regulations.

The information on this label is based on the best available information including data from test results

UK Safety Data Sheet

To access the Safety Data Sheet for this product scan the QR code or use the weblink below:




http://www.agricentre.basf.co.uk/go/Fendona_6_SC_sds Alternatively, contact your supplier.

Ireland Safety Data Sheet

To access the Safety Data Sheet for this product scan the OR code or use the weblink below:

http://www.agricentre.basf.ie/go/Fendona_6_SC_sds

Alternatively, contact your supplier.





FENDONA® 6 SC

			,
STATUTO			
FOR			
Normal rate: Special rate:	dilute 25 ml product in apply 1 litre diluted pro dilute 50 ml product in then apply 1 litre dilute	oduct per 20m ² surface 5 litres of water,	
Animal husbandry use:	20m ² surface when used in premise by birds, the product is more than twice per cr	s that are occupied s to be applied no	
To be applied as a c	oarse spray only at low	pressure.	
The (COSHH) Cont Regulations 2000 m UK only.			
FOR USE ONLY BY			
Engineering control reasonably practica protective equipmer Wear suitable prote Wear suitable prote			
LAUNDER REGUL/ Do not breathe spra equipment and eye (G) 53: "Respiratory users"). However, er protective equipmer	CONTAMINATION OF ARLY. y. Otherwise wear respi protection (see HSE Gu Protective Equipment - ngineering controls may if a COSHH assessm tandard of protection.	ratory protective iidance Booklet HS a practical guide for replace personal	Ŷ
FOOD CONTACT S COVER WATER ST THIS MATERIAL AN a safe way. DO NOT APPLY DIN EXTREMELY DANC REMOVE OR COVI application. DO NOT CONTAMI container. DO NOT CONTAMI CONTACTED PI AWAY FROM TREA	ORAGE TANKS before ND ITS CONTAINER mu RECTLY TO ANIMALS. SEROUS TO FISH AND ER FISH TANKS AND B NATE watercourses with RECTLY TO LIVESTOCI EES. ERSONS AND ANIMAL TED AREAS UNTIL SU	application. Ist be disposed of in OTHER AQUATIC LIFE. OWLS before h chemical or used K AND POULTRY. S SHOULD BE KEPT RFACES ARE DRY.	
READ ALL PRECAU	JTIONS BEFORE USE.	HSE 4455 PCS 93388	
® = Registered trade	mark of BASF	81108635GB1066	i