

Wood preservative (microemulsion concentrate) for preventative treatment against wood boring beetles, termites and wood rotting & staining fungi. Also for curative treatment against wood boring beetles. For use on hard & soft wood.

Application :

Dilute 1L of Concentrate with 11.5 L of water before application. Apply by Brush or low pressure spray. Exterior application must be by brush **ONLY**.

Apply at a rate of 107 ml/ m². (1L per 10 m²) : For a preventative use against wood boring beetles and wood rotting fungi.

Apply at a rate of 200 ml/ m². (1L per 5 m²) : For a preventative use against wood boring beetles, termites and wood rotting & staining fungi.

Apply at a rate of 300 ml/ m². (1L per 3.3 m²) : For curative use against wood boring beetles.

Dilute 1L of Concentrate with 24 L of water before application.

Apply at a rate of 200-214 ml/ m². (1L per 5 m²) : For a preventative use against wood boring beetles and wood rotting fungi.

Use Specific Instructions & Risk Mitigation Measures :

FOR USE ONLY AS A WOOD PRESERVATIVE. FOR PROFESSIONAL USE ONLY.

Do not touch or walk through spilt material. When dealing with spillage to not eat, drink or smoke. Avoid breathing vapour or mist. Provide adequate ventilation. Unprotected persons and animals should be excluded from the area being treated and should remain excluded until surfaces are dry, which may vary depending on climatic conditions. Treated surfaces should not be touched until dry. Any product on skin should be washed off. Avoid contact with eyes. Application solutions must be collected and reused or disposed of as hazardous waste. They must not be released to soil, ground- and surface water or any kind of sewer. Always read the label or leaflet before use and follow all the instructions provided. Do not use on wood which may come into direct contact with food, feeding stuffs and livestock animals. Treated wood should not be intended for uses involving contact with food, feed or livestock. Do not contaminate foodstuffs, eating utensils or food contact surfaces. Avoid prolonged contact of pets, particularly cats, to treated surfaces. Inform the registration holder if the treatment is ineffective. All bats are protected under the wildlife and countryside act of 1981. before treating any structure used by bats consult Natural England, Scottish Natural Heritage or the Countryside Council for Wales. Inform the registration holder if the treatment is ineffective. The COSHH (Control of Substances Hazardous to Health) Regulation 2002 (as amended) apply to the use of this product at work. Wear a protective overalls (at least type 6, EN 13034), suitable protective gloves (rubber or nitrile) and eye/face protection when handling the concentrate or applying the product.

To reduce risk to the environment :

When UC 2 application takes place outdoors under a roof, soil/ground in the vicinity of timber to be treated must be protected with a tarpaulin or plastic sheeting) until treated surfaces are "dry" (i.e. they no longer drip). Any waste should be disposed of safely in line with national waste management measures (product should be left to dry and any solids added to domestic waste for disposal at landfill). During in-situ application to timbers and whilst surfaces are drying, do not contaminate soil. All losses of the product must be contained (e.g. by appropriate covering of soil with a tarpaulin) and disposed of in a safe way. Treatment of timber must not take place over/near surface water bodies. When UC 3 (outdoors, out of ground contact) application takes place, treated timbers should be over coated with an undercoat and a non biocidal topcoat. For UC 3 (outdoors, out of ground contact) application takes place by brush only, at a maximum active substance application rate of 2.25 g/m² Propiconazole, 0.75 g/m² IPBC and 0.75 g/m² Permethrin and only where a treatment system that includes an undercoat and a non biocidal topcoat is employed

First Aid :

If medical advice is needed, have product container or label at hand. IF IN EYES: remove contact lenses, rinse with plenty of water for at least 15 minutes. Immediately call a POISON CENTER or doctor/physician. IF ON SKIN: wash with soap and plenty of water, without rubbing. IF SWALLOWED: do NOT induce vomiting unless told to do so by poison control or a health care professional. If necessary attend hospital and show the label or packaging if possible. Do not leave poisoned person unattended. UK medical professionals should contact the National Poisons Information Service (www.npis.org) for further advice. Pyrethroids and Pyrethrins may cause paraesthesia (burning and pricking of the skin without irritation). If symptoms persist get medical advice. This product contains Permethrin; Pyrethroids can cause facial paraesthesia. Poisoning may cause: Irritation or/and allergic skin reaction, irritation of eyes, mucosa, respiratory tract and gastrointestinal tract.

Storage :

Store in a cool, well ventilated area. Keep container tightly closed. Floor of the storage room must be impermeable to prevent the escape of liquid. Must only be kept in original packaging. Shelf life 2 years. Protect from frost.

Spillage & Disposal :

Collect spillage if safe to do so. Contain and collect spillage with a suitable absorbent and put into a labelled lockable container for disposal as hazardous waste. Avoid an accidental discharge into sewers, surface water or soil. Soil contaminated by the undiluted product should be treated as hazardous waste. In case of an accidental discharge of a large amount of the concentrated product to surface water, groundwater or sewer inform the appropriate authorities according to local regulations. Empty containers, unused product and other waste generated during treatment are considered hazardous waste. Dispose of in accordance with local regulations.

Bottle should be rinsed until free from deposit with washing used as diluent or disposed of as above. Empty clean container should be disposed of as normal industrial waste. Do not release to soil, ground, surface water or sewers.

Harmful if swallowed. Causes serious eye damage. May cause an allergic skin reaction. May cause damage to organs larynx through prolonged or repeated exposure larynx. May damage the unborn child. Very toxic to aquatic life with long lasting effects. Safety data sheet available on request.

Contains 3-Iodo-2-Propynyl-N-Butyl Carbamate (IPBC), Propiconazole, Permethrin and 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

Store locked up. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe vapours. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash it before reuse. Wear protective gloves/ protective clothing/ eye/face protection. IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical attention. IF SWALLOWED: Call a POISON CENTER if you feel unwell. Rinse mouth. Specific treatment (see first aid instructions on this label). Collect spillage. Avoid release to the environment. Dispose of container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers, can be disposed of as non-hazardous waste.

Contains : 3-Iodo-2-Propynyl-N-Butyl Carbamate (IPBC) [55406-53-6], Propiconazole [60207-90-1], Permethrin [52645-53-1], 1,2- Benzisothiazol-2(3H)-one [2634-33-5], Alcohols (C9-11), Ethoxylated [58439-46-3]
Contains : Propiconazole 93.75g/L, IPBC 31.25g/L & Permethrin 31.25g/L

Additional information for use in Republic of Ireland :

Use Biocides Safely and Sustainably. It is illegal to use this product for uses or in a manner other than that prescribed on the label. Poison Information : For information or to report a poisoning incident contact The National Poisons Information Centre, Beaumont Hospital, Dublin (01-8092166), retain label for reference.



BPR Approval Holder & Authorisation Number :
Enviroquest Research Ltd (UK) & WoodchemEQ Ltd
(ROI) +44(0)1332 362492
UK-2019-1194-1-0001 IE/BPA 70493-01-001



Enviroquest GPT Ltd
Unit E8/E9 Ashlyn Road
West Meadows Industrial Estate
Derby, DE21 6XE, United Kingdom
Tel: +44(0)1332 362492

Use biocides safely. Always read the label first



P R O D 156

FUNGICIDE & INSECTICIDE

Professional concentrated product containing an insecticide & fungicide combination to eradicate and prevent attack by wood boring beetles and prevent wood destroying & discolouring fungi.

Efficacy Certification

CERTIFIED	ORGANISM	USE	DILUTION	RATE
BS EN 46	House Longhorn Beetle (Hylotrupes Bajulus)	Preventative	1+24	200ml/m ²
BS EN 113	White & Brown Rot (Wood destroying basidiomycetes)	Preventative	1+24	200ml/m ²
BS EN 49-1	Common Furniture Beetle (Anobium Punctatum)	Preventative	2+23	200ml/m ²
BS EN 46	House Longhorn Beetle (Hylotrupes Bajulus)	Preventative	2+23	100ml/m ²
BS EN 113	White & Brown Rot (Wood destroying basidiomycetes)	Preventative	2+23	100ml/m ²
BS EN 118	Termites (Reticulitermes Flavipes)	Preventative	2+23	200ml/m ²
BS EN 152	Blue Stain	Preventative	2+23	200ml/m ²
BS EN 370	Common Furniture Beetle (Anobium Punctatum)	Curative	2+23	300ml/m ²
BS EN 1390	House Longhorn Beetle (Hylotrupes Bajulus)	Curative	2+23	300ml/m ²

1 litre