#### **PREMIER NOURISH & PROTECT UNIVERSAL WOOD PRESERVATIVE**

## SHAKE WELL BEFORE & DURING USE FOR AT LEAST 1 MINUTE

WOOD PRESERVATIVE FOR AMATEUR/PROFESSIONAL USE AGAINST WOOD ROTTING FUNGI, WOOD STAINING FUNGI AND WOOD DESTROYING INSECTS.

#### PRODUCT DESCRIPTION:

A Universal low odour solvent-borne ready to use product. It actively protects against wood destroying and wood discolouring fungi as well as against wood boring insects. This Universal Preserver has good penetrating power transporting the actives into the wood and provides a degree of vapour permeability. Coloured versions contain UV fade resistant pigments that provide some protection to the wood from damaging sunlight. The finish given is semitransparent to allow the natural texture of the grain to be visible with a matt to satin effect depending upon wood smoothness and number of coats applied; when fully dry it is odourless.

#### RANGE OF USE:

Can be used as a final topcoat or as a primer. When using in conjunction with a topcoat product such as a paint, always check for compatibility. Suitable for outside applications including joinery in external walls such as doors, windows and their frames (inner & outer surfaces), facades, carports, shutters and balcony railings. Also for use on wood in unoccupied areas such as ground floor joists or where wood is resting on the ground / hardstanding and only submitted to intermittent wetting (rain) such as garden products. It is not suitable to treat wood for any in-ground use or where the wood is permanently subjected to continual wetting (streams, ponds etc). For further product Information go to www.barrettinePro.co.uk

**INSTRUCTIONS FOR USE:** The final colour finish can vary considerably due to the age, type & condition of the timber being treated. We always recommer carrying out a test area first in an inconspicuous area to make sure you are with the final dried colou

#### READ ALL PRECAUTIONS & THE FULL LABEL BEFORE USE Wood surfaces must be clean and dry before treating.

New wood: Generally no pre-treatment necessary but if contamination suspected use a fungicidal wash such as Knockout Mould & Mildew Cleaner.

**Renovation:** All coatings should be completely removed. Pre 1960's paint may contain lead, take special precautions. If necessary grey or deteriorated wood should be sanded down to a clean, sound surface. Wipe surface to remove dust with Barrettine White Spirit or Methylated Spirits.

#### Application method: Amateur: BRUSH AND ROLLER.

Professional: BRUSH, DIP AND ROLLER. Protect environment (e.g. Soil, plants, aquatic environment) from splashes of

the Preserver. Do not apply in damp conditions or if rain is imminent. Application temperature: Ideally between 10 – 30°C. Wood should be

#### frost-free when treated

Amateur / Professional uses: Shake Well Apply using a synthetic brush designed for solvent-borne products, spreading out thinly and evenly, ensure end grain is thoroughly treated along with cut and

drilled areas. Reseal container after use. It is recommended that a minimum of 2 coats are applied depending on wood species and surface characteristics. When applying by brush finally brush in the direction of the wood grain. Allow 6–12 hours drying time (touch dry) between coats. Application of successive coats will provide a darker finish and on smooth wood a higher sheen finish. If using this Clear Universal Preserver in conjunction with a stain / wood dye it is recommended to apply the colourant before the Preserver, test effect on an off-cut initially.

Coverage: Effective against wood destroying fungi, blue stain and wood boring insects at 180 ml/m<sup>2</sup>.

Drying time: 24 h under normal conditions (20°C/65% rel. humidity). Low temperatures, increased humidity and ingredients of some wood types may increase drving time.

Cleaning of tools: Clean tools immediately after use with Barrettine White Spirit or Brush Cleaner

#### Subsequent surface treatment/Compatibility: The time before

retreatment is required will depend on exposure and weathering. Overcoating/use of a top coat on wood treated with Nourish & Protect Clear Universal Preservative is not necessary but in certain circumstances application of Barrettine All in One Decking Oil, Log Cabin Treatment or a varnish/sealer (solvent or water based) will extend protection. If an additional top coat is used compatibility and adhesion should be tested in a sample area first. Allow 24 h drying time under normal conditions before any top coat is applied.

FIRST AID MEASURES: AFTER SKIN CONTACT: Take off immediately all contaminated clothing, and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

AFTER CONTACT WITH EYES: Rinse immediately with plenty of water and seek medical advice if symptoms occur.

IF SWALLOWED: Rinse the mouth with water and give small amounts of water to drink (not in the case of loss of consciousness). Do not induce vomitin unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if symptoms occur.

AFTER INHALATION: Move the exposed person into fresh air. Keep person warm and at rest. Provide artificial respiration by a trained person if breathing is irregular or arrested. It may be dangerous to the person providing aid by mouth-to-mouth resuscitation. Seek medical advice if symptoms are severe or long lasting. If unconscious, place in recovery position and get medical attention immediately

IN GENERAL: Show this label if medical advice is needed. PRECAUTIONARY INFORMATION: USE ONLY AS DESCRIBED ON THE LABEL The precautions generally recommended for handling wood protection products should be observed, e.g. Wear appropriate personal protective equipment (PPE) such as chemical resistant gloves, overalls and eye/face protection to protect against splashes. If in doubt, speak to your PPE supplier and show then this label/product, or call us for further advice. When using do not eat, drink or smoke. Handle product and dry freshly treated wood in areas with good ventilation. Keep freshly treated wood roofed or otherwise protected against rain until complete dryness. Do not breathe sanding dust. During application to in situ timbers and whilst surfaces are drying do not contaminate soil and surface waters with product. Do not empty into drains.

Do not allow this product to reach aquatic environments, the ground or the sewer system. For Professional use, freshly treated timber must be stored after treatment under shelter or on impermeable hardstanding to prevent direct losses to soil or water and that any losses must be collected for reuse or disposal.

STORAGE: Store product in tightly closed original containers at temperatures above 0°C and below 30°C

DISPOSAL INFORMATION: Completely empty cans can be recycled as normal. Dispose left over product in the original container in compliance with local regulations. Do not dispose product residues or cleaning wastes into the sewer system (drains), into waterways or into the soil. Do not reuse empty containers

#### European Waste Code (EWC)-Code 03 02 02: Organochlorinated wood preservative

20 01 27: Municipal wastes (household waste and similar commercial industrial and institutional wastes) including separately collected fractions : paint, inks, adhesives and resins containing dangerous substances.

#### STATUTORY CONDITIONS OF APPROVAL RELATING TO USE FOR LISE ONLY AS A WOOD PRESERVATIVE

READ ALL PRECAUTIONS BEFORE USE. HSE No. 10007 PCS No. 98437 must comply in full with all their legal responsibilities under the control of Pesticides Regulations 1986 (as amended), including complying with all Conditions of Approval. APPLICATION METHOD/COVERAGE: Amateur: BRUSH AND ROLLER. Professional: BRUSH, DIP AND ROLLER: APPLY 180 ml OF PRODUCT PER M<sup>2</sup> OF TIMBER SURFACE. DIPPING: DIP TIMBER IN PRODUCT FOR AT LEAST 3 MINS. Effective against Wood Destroying Fungi, Blue Stain and Wood Boring Insects at 180 ml/m<sup>2</sup>

#### **RISK MITIGATION MEASURES**

This material and its container must be disposed of in a safe way. DO NOT CONTAMINATE FOOD STUFFS, EATING UTENSIL OR FOOD CONTACT SURFACES. WASH HANDS AND EXPOSED SKIN before meals and after use.

KEEP IN A SAFE PLACE UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY

AVOID ALL CONTACT WITH PLANT LIFE.

COVER ALL STORAGE WATER TANKS before application. ALL BATS ARE PROTECTED UNDER THE WILDLIFE & COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS. CONSULT NATURAL ENGLAND. SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES. HAZARDOUS TO BEES DO NOT USE ON REEHIVES OR BEE KEEPING FOUIPMENT 3-IOD0-2-PROPYNYL-N-BUTYL CARBAMATE is carbamate compound which has weak

anticholinesterase activity. DO NOT USE if under medical advise not to work with nticholinesterase compounds.

FOR OUTDOOR USE. Also for use on windows/frames, external doors/frames (internal & external sections)

### ADDITIONAL RISK MITIGATION MEASURES FOR USE BY PROFESSIONAL OPERATORS

Avoid excessive contamination of coveralls. The COSHH (Control of Substances Hazardous to Health) Regulations 2002 (as amended) apply to the use of this product at work. Refer to www.hse.gov.uk/pubns/guidance/sseries.

To avoid risk to man and the environment, comply with instructions for use. ACTIVE INGREDIENT: 3-lodo-2-propynyl butylcarbamate (IPBC) 0.624% w/w, Tebuconazole 0.284% w/w and Permethrin 0.06% w/w.

EXPIRY DATE: 2 years from production date. OUT OF HOURS EMERGENCY TELEPHONE NO. +44 (0) 1270 502891

#### HEALTH, SAFETY & ENVIRONMENTAL INFORMATION



#### May be fatal if swallowed and enters airways

Very toxic to aquatic life with long lasting effects. Contains 3-iodo-2-propynyl butyl carbamate and tebuconazole. May produce an allergic reaction. Repeated exposure may cause skin dryness or cracking. Keep out of reach of children. Avoid release to the environment


IF SWALLOWED: Immediately call a POISON CENTER or physician. Do NOT induce vomiting. Store locked up

Dispose of contents and container in accordance with all local, regional, national and nternational regulations Use biocides safely

Always read the label and product information before use.

EU VOC Limit value for this product (Cat A/h) 750g/L (2010) This product contains max 670g/L VOC

J.V. Barrett & Co Ltd. Barrettine Products - St.Ivel Way, Warmley, Bristol. BS30 8TY Tel: 0117 9600 060 Fax: 0117 9352 437 Email: sales@barrettine.co.uk www.barrettinePro.co.uk Group Website: www.barrettine.co.uk



Rarrettine



(FOR AT LEAST ONE MINUTE)

# 5 Litre $\oplus$

# Danger





## **PREMIER NOURISH & PROTECT WOOD PRESERVATIVE**

# UNIVERSAL PRESERVER

EARS

**PROTECTS AGAINST** 

WOOD BORING INSECTS, WOOD ROTTING FUNGI & BLUE STAIN

- ✓ DEEP PENETRATING OIL/SPIRIT LOW ODOUR FORMULA
- HIGH LEVEL, LONG LASTING PROTECTION & PRESERVATION
  - **V**QUALITY PRIMER RESINS FOR EXCELLENT ADHESION

and a set



PREMIER CLEAR





The following colours are also available in our Wood Preserver Range.



RED CEDAR

DARK BROWN



CLEAR

LIGHT BROWI







The colour swatches are an indication only and representative of the product applied to clean new/pale timber. The final colour finish can vary considerably due to the age, type & condition of the timber being treated. We always

recommend carrying out a test area first in an inconspicuous area to make sure you are happy with the final dried colour.

SHAKE WELL **BEFORE & DURING USE** (FOR AT LEAST ONE MINUTE)

**5** Litre  $\oplus$ 





DEEP PENETRATING **OIL/SPIRIT LOW ODOUR BASED FORMULA** 

