

# PREMIER NOURISH & PROTECT

## COLOURED *Wood Preserver*

Ready to use Wood preservative for professional / industrial use against wood rotting fungi, wood staining fungi and wood destroying insects. Oil/solvent based formulation allows deeper penetration. For use on external timbers only and timbers in unoccupied areas. For use on wood out of ground contact and away from surface water contact.

- Ideal for rough sawn or smooth timber.
- UV fade resistant colour pigments
- High level, long lasting protection & preservation
- Superb quality water repellent resins

### DIRECTIONS FOR USE

Wear appropriate personal protective equipment (PPE) such as chemical resistant gloves, overalls and eye/face protection to protect against splashes. If in doubt speak, to your PPE supplier and show them this label/product, or call us for further advice.

#### **RANGE OF USE**

Ideal preservative for outside applications including joinery in external walls such as doors, windows and their frames (inner & outer surfaces), facades, carports, shutters, summer houses, gates and balcony railings. Also for use where wood is resting on the ground / hardstanding and only submitted to intermittent wetting (rain) such as garden furniture products. It is not suitable to treat wood for any inground use or where the wood is permanently subjected to continual wetting (streams, ponds etc). For a more comprehensive listing of suitable applications click 'Product Information' tab at [www.barrettine.co.uk/products](http://www.barrettine.co.uk/products).

#### **INSTRUCTIONS FOR USE:** Professional / Industrial use: Shake / Stir Well **READ ALL PRECAUTIONS & THE FULL LABEL BEFORE USE**

Wood surfaces must be clean and dry before treating.

**New wood:** Generally no pre-treatment necessary, but if contamination suspected use a fungicidal wash such as Knockout Mould & Mildew Cleaner.

**Renovation:** All coatings should be completely removed. Pre 1960's paint may contain lead, take special precautions. If necessary grey or deteriorated wood should be sanded down to a clean, sound surface. Wipe surface to remove dust with Barrettine White Spirit or Methylated Spirits.

**Application method:** Professional: BRUSH, DIP AND ROLLER.

Industrial: DIP AND SPRAY.

Protect environment (e.g. Soil, plants, aquatic environment) from splashes of Preserver. Do not apply in damp conditions or if rain is imminent.

**Application temperature:** Ideally between 10 – 30°C. Wood should be frost-free when treated.

Apply product spreading out thinly and evenly, ensure end grain is thoroughly treated along with cut and drilled areas. Reseal container after use.

It is recommended that a minimum of 2 coats are applied depending on wood species and surface characteristics. Allow 6–12 hours drying time (touch dry) between coats. Application of successive coats will provide a darker finish and on smooth wood a higher sheen finish. If using the Clear Preserver in conjunction with a stain / wood dye it is recommended to apply the colourant before the Preserver, test effect on an off-cut initially.

**Coverage:** Effective against wood destroying fungi, blue stain and wood boring insects at 180 ml/m<sup>2</sup>.

**Dipping:** Dip timber in product for at least 3 minutes.

**Drying time:** 12 h under normal conditions (20°C/65% rel. humidity). Low temperatures, increased humidity and ingredients of some wood types may increase drying time.

**Cleaning of tools:** Clean tools immediately after use with Barrettine White Spirit or Brush Cleaner.

**Subsequent surface treatment/Compatibility:** The time before retreatment is required will depend on exposure and weathering. Overcoating/use of a top coat on wood treated with Nourish & Protect Coloured Preservative is not necessary but in certain circumstances application of Barrettine All in One Decking Oil, Log Cabin Treatment or a varnish/sealer (solvent or water based) will extend protection. If an additional top coat is used, compatibility and adhesion should be tested in a sample area first. Allow 24 h drying time under normal conditions before any top coat is applied.

# PREMIER NOURISH & PROTECT COLOURED WOOD PRESERVER

READ ALL PRECAUTIONS BEFORE USE. STIR/SHAKE WELL BEFORE USE.

R2

**FIRST AID MEASURES: AFTER SKIN CONTACT:** Take off immediately all contaminated clothing, and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

**AFTER CONTACT WITH EYES:** Rinse immediately with plenty of water and seek medical advice if symptoms occur.

**IF SWALLOWED:** Rinse the mouth with water and give small amounts of water to drink (not in the case of loss of consciousness). Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if symptoms occur.

**AFTER INHALATION:** Move the exposed person into fresh air. Keep person warm and at rest. Provide artificial respiration by a trained person if breathing is irregular or arrested. It may be dangerous to the person providing aid by mouth-to-mouth resuscitation. Seek medical advice if symptoms are severe or long lasting. If unconscious, place in recovery position and get medical attention immediately. **IN GENERAL:** Show this label if medical advice is needed.

## PRECAUTIONARY INFORMATION: USE ONLY AS DESCRIBED ON THE LABEL.

The precautions generally recommended for handling wood protection products should be observed, e.g. Wearing of protective clothing, safety goggles and protective gloves (e.g. Nitrile rubber gloves). When using do not eat, drink or smoke. Handle product and dry freshly treated wood in areas with good ventilation. Keep freshly treated wood roofed or otherwise protected against rain until complete dryness. Do not breathe sanding dust. During application to in situ timbers and whilst surfaces are drying do not contaminate soil and surface waters with product. Do not empty into drains. Do not allow this product to reach aquatic environments, the ground or the sewer system. For Professional use, freshly treated timber must be stored after treatment under shelter or on impermeable hardstanding to prevent direct losses to soil or water and that any losses must be collected for reuse or disposal.

**STORAGE:** Store product in tightly closed original containers at temperatures above 0°C and below 30°C.

**DISPOSAL INFORMATION:** Completely empty cans can be recycled as normal. Dispose left over product in the original container in compliance with local regulations. Do not dispose product residues or cleaning wastes into the sewer system (drains), into waterways or into the soil. Do not reuse empty containers.

**European Waste Code (EWC)-Code: 03 02 02:** Organochlorinated wood preservative. **20 01 27:** Municipal wastes (household waste and similar commercial, industrial and institutional wastes) including separately collected fractions : paint, inks, adhesives and resins containing dangerous substances.

## HEALTH, SAFETY & ENVIRONMENTAL INFORMATION

Contains: Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics, 2-(2-butoxyethoxy) ethanol, 3-iodoprop-2-ynyl butylcarbamate, tebuconazole, permethrin (ISO)



**Danger**

- May be fatal if swallowed and enters airways.
- Very toxic to aquatic life with long lasting effects.
- If medical advice is needed, have product container or label at hand
- Keep out of reach of children • Avoid release to the environment • Wear eye protection, protective clothing, protective gloves • IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician • Do NOT induce vomiting • Collect Spillage
- Store locked up • Dispose of contents and container in accordance with all local, regional, national and international regulations.

Use biocides safely.

Always read the label and product information before use.

VERY HIGH VOC CONTENT >50%

VOCs (Volatile Organic Compounds) Contribute to atmospheric pollution.

## STATUTORY CONDITIONS OF APPROVAL RELATING TO USE FOR USE ONLY AS A WOOD PRESERVATIVE

FOR USE ONLY BY PROFESSIONAL/INDUSTRIAL OPERATORS.

READ ALL PRECAUTIONS BEFORE USE.

**HSE No. 10007. PCS No. 98437**

Users must comply in full with all their legal responsibilities under the control of Pesticides Regulations 1986 (as amended), including complying with all Conditions of Approval.

**APPLICATION RATE:** BRUSH/ROLLER AND SPRAYING: APPLY 180 ml OF PRODUCT PER SQUARE METER OF TIMBER SURFACE.

**DIPPING:** DIP TIMBER IN PRODUCT FOR AT LEAST 3 MINUTES.

## RISK MITIGATION MEASURES

Avoid excessive contamination of coveralls.

DO NOT CONTAMINATE FOOD STUFFS, EATING UTENSIL OR FOOD CONTACT SURFACES.

This material and its container must be disposed of in a safe way.

WASH HANDS AND EXPOSED SKIN before meals and after use.

KEEP IN A SAFE PLACE.

UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY.

AVOID ALL CONTACT WITH PLANT LIFE.

COVER ALL STORAGE WATER TANKS before application.

ALL BATS ARE PROTECTED UNDER THE WILDLIFE & COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

HAZARDOUS TO BEES. DO NOT USE ON BEEHIVES OR BEE KEEPING EQUIPMENT.

3-iodo-2-propynyl-N-butyl carbamate is carbamate compound which has weak anticholinesterase activity. DO NOT USE if under medical advice not to work with anticholinesterase compounds.

FOR OUTDOOR USE. Also for use on windows/frames, external doors/frames (internal & external sections).

### ADDITIONAL RISK MITIGATION MEASURES FOR INDUSTRIAL USE:

Guidance on the safe use of wood preservatives is provided in leaflet WIS 29 ("Occupational Hygiene & surveillance at industrial treatment plants") at [www.hse.gsi.gov.uk](http://www.hse.gsi.gov.uk)

WEAR IMPERVIOUS GAUNTLETS, IMPERVIOUS FOOT WEAR AND IMPERVIOUS APRON when handling freshly treated timber.

Do not contaminate ground, waterbodies or watercourses with chemicals or used containers.

DISPOSE OF SURPLUS, CONTAMINATED MATERIALS (INC. SAWDUST) AND THE EMPTY CONTAINER SAFELY using a method approved by the WASTE DISPOSAL AUTHORITY.

TREATED WOOD MUST BE HELD UNTIL SURFACES ARE DRY WITHIN A BUNDED AREA ON A SITE WHICH IS MAINTAINED TO PREVENT LOSS OF TREATMENT PRODUCT TO THE ENVIRONMENT.

The COSHH (Control of Substances Hazardous to Health) Regulations 2002 (as amended) apply to the use of this product at work. Refer to [www.hse.gov.uk/pubns/guidance/sseries.htm](http://www.hse.gov.uk/pubns/guidance/sseries.htm)

To avoid risk to man and the environment, comply with instructions for use.

**ACTIVE INGREDIENT:** 3-Iodo-2-propynyl butylcarbamate (IPBC) 0.624% w/w, Tebuconazole 0.284% w/w and Permethrin 0.06% w/w.

**EXPIRY DATE:** 2 years from production date.

**OUT OF HOURS EMERGENCY TELEPHONE NO.** +44 (0) 1270 502891

**25 LTRS** UFI: 1Q10-00FK-R00G-NHCF  
**UN No. 3082**

Barrettine Products. St. Ivel Way, Warmley, Bristol, BS30 8TY.

Tel: 0117 9600 060 Fax: 0117 9352 437

Email: [sales@barrettine.co.uk](mailto:sales@barrettine.co.uk) [www.barrettinePro.co.uk](http://www.barrettinePro.co.uk)