

Barrettine
TRUSTED BY THE PROFESSIONALS

PREMIER

WOOD WORM KILLER

CLEAR LOW ODOUR FORMULATION

FOR THE PREVENTION & ERADICATION OF
WOODBORING INSECTS, LARVAE & EGGS.

FOR USE ON ALL INTERNAL & EXTERNAL TIMBERS.

UFI: R800-DOQU-1002-DOFC



5 015861 130037

CLEAR



CONTAINS:
PERMETHRIN 0.297% (w/w)
HSE No: 10241 PCS No. 98353

500ml e

WOODWORM KILLER

For use on internal or external timber. This product is approved under the Control of Pesticides

Regulations 1986 for use as directed. For use only as a wood preservative. Low odour solvent based ready for use.

DIRECTIONS FOR USE - PREPARATION: Areas to be treated should be clean, dry and free from surface coatings, such as varnish, paint etc, remove as necessary. Badly attacked wood should be cut away and burnt, making necessary structural repairs.

AREAS OF USE & APPLICATION: WOOD PRESERVATIVE FOR AMATEUR USE AGAINST WOOD BORING INSECTS - AGITATE WELL

BEFORE USE. Use appropriate Personal Protective Equipment i.e face mask (A1 or A2 Class filter), gloves and coveralls, particularly when used in a confined space. Call Barretttine for further information/advice. Apply by brush or low pressure spray ensure all holes/surfaces are saturated. Allow to dry (touch dry approx 6 hours) before applying a second treatment. **FOR INDOOR & OUTDOOR USE.**

For treating roof and floor joists, other structural timbers and wooden furniture. If treating furniture in an occupied room treat the article in a well ventilated place ideally outdoors, allow to dry and ventilate thoroughly prior to placing the article back to its original location. Also for use on windows/frames, external doors/frames (internal & external sections). On external timber and/or timber exposed to wetting/damp weather timber should be sealed with a suitable topcoat. Ensure treated surfaces are thoroughly dry before overpainting. End grain should be treated to saturation. **Application rate:** Prevention: 200ml per m² or 1 litre to 5m². Eradication: 300ml per m² or 1 litre to 3.3m² **NOTE:** On sensitive areas, check that Barretttine Woodworm Killer has no effect on colour or finish by testing on an inconspicuous area. Avoid contact with Bituminous products including roofing felts. **DRYING TIMES:** Normally up to 48 hours depending upon conditions. Ventilate treated areas thoroughly after application. **AFTER USE:** Reseal container, always store upright and secure at all times. Clean brushes with Barretttine White Spirit. Any splashes can be cleaned similarly.

STATUTORY CONDITIONS OF APPROVAL RELATING TO USE. HSE No. 10241 PCS No. 98353

FOR USE ONLY AS A WOOD PRESERVATIVE - READ ALL PRECAUTIONS BEFORE USE.

Users must comply in full with all their legal responsibilities under the control of Pesticides Regulations 1986 (as amended), including complying with all Conditions of Approval.

APPLICATION RATE: BRUSH OR SPRAYING: Prevention: 200ml per m² or 1 litre to 5 m². Eradication: 300ml per m² or 1 litre to 3.3 m².

PRECAUTIONS & RISK MITIGATION MEASURES - USE ONLY AS DESCRIBED ON LABEL.

This material and its container must be disposed of in a safe way. DO NOT CONTAMINATE FOOD STUFFS, EATING UTENSIL OR FOOD CONTACT SURFACES. WASH HANDS AND EXPOSED SKIN before meals and after use. KEEP IN A SAFE PLACE. DO NOT TOUCH TREATED SURFACES UNTIL DRY. UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS FOR 48 HOURS OR UNTIL SURFACES ARE DRY. COVER ALL STORAGE WATER TANKS before application. ALL BATS ARE PROTECTED UNDER THE WILDLIFE & COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES. HAZARDOUS TO BEES. DO NOT USE ON BEEHIVES OR BEE KEEPING EQUIPMENT.

To avoid risk to man and the environment, comply with instructions for use.

Storage: Store product in tightly closed original container at temperature above 0°C and below 30°C.

ACTIVE INGREDIENT: Permethrin 0.297% (w/w) **EXPIRY DATE:** 2 years from production date.

OUT OF HOURS EMERGENCY TELEPHONE NO. +44 (0) 1270 502891

HEALTH, SAFETY & ENVIRONMENTAL INFORMATION

Contains: Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics, permethrin (ISO) • Repeated exposure may cause skin dryness or cracking. • May be fatal if swallowed and enters airways. • Very toxic to aquatic life. • Very toxic to aquatic life with long lasting effects. • Do not handle until all safety precautions have been read and understood. • Avoid release to the environment. • Use personal protective equipment as required. • IF SWALLOWED: Immediately call a POISON CENTER or doctor.

• Do NOT induce vomiting. • Collect spillage. • Store locked up. • Dispose of contents/ container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Use barretttine safely. Always read the label and product information before use.

Barretttine Products Ltd - St. Ivel Way, Warmley, Bristol BS30 8TY.

T: +44 (0) 117 960 0060 **F:** +44 (0) 117 935 2437

E: sales@barretttine.co.uk **www.barretttinePro.co.uk**

500ml e



Danger

R2