

# ALPHA

## ULV

### INSECTICIDE

## BROAD SPECTRUM



Pyrethroid ultra-low volume (ULV) insecticide for professional use against flying & crawling insects.

Suitable for use in Domestic & Agricultural Areas.

**Contains:**

Permethrin 0.307% w/w

Tetramethrin 0.124% w/w

**Barrettine**  
Environmental Health

Barrettine Group, St Ivel Way,  
Warmley, Bristol BS30 8TY.

T: 0117 9600 060 F: 0117 935 2437

E: beh@barrettine.co.uk [www.barrettineEnv.co.uk](http://www.barrettineEnv.co.uk)



# 5L



**PRODUCT DESCRIPTION:** An insecticide for professional use against flying and crawling insects such as flies, mosquitoes, wasps, ants, cockroaches, earwigs, bristletails, fleas, beetles, mites, ticks, moths and lice. The product is solvent based and ready to use. For use in domestic situations including hospitals (excluding occupied wards), in and around military barracks, in and around farm buildings, in bulk milk rooms, dairies and milking parlours. For use in animal and avian housing, ant and wasps nests and refuse tips. For use on hard porous and non-porous surfaces.

**DIRECTIONS FOR USE:** ALPHA ULV is ready to use and should not be diluted or mixed with other chemicals. **SPACE TREATMENT AND FOGGING FOR THE CONTROL OF FLYING INSECTS.** ALPHA ULV should be applied through a hand sprayer or a fan assisted rotary atomiser as a fine mist. Alternatively the product can be applied through a fogging machine. Apply 1 ml of product to 1 cubic metre. One litre is sufficient to treat 1000 cubic metres. **SURFACE SPRAYING FOR THE CONTROL OF FLYING AND CRAWLING INSECTS.** ALPHA ULV should be applied through a hand sprayer or boom and nozzle sprayer apparatus as a medium or coarse spray. Apply 10ml of product per square metre. One litre is sufficient to treat 100 square metres.

Risk mitigation measures combined with handling/storage precautions and exposure controls.

The COSHH (control of substances hazardous to health) regulations 2002 (as amended) apply to the use of this product at work. Avoid excessive contamination of coveralls. Keep away from food drink and animal feeding stuffs. This material and its container must be disposed of in a safe way. Unprotected persons and animals should be kept away from treated areas until surfaces are dry. Wash hands and exposed skin before meals

and after use. Keep in a safe place. Remove or cover all fish tanks and bowls before application. Do not apply directly to livestock and poultry. Exclude all persons and animals during treatment. Cover all water storage tanks before application. All bats are protected under the wildlife and countryside act 1981. before treating any structure used by bats, consult Natural England, NatureScot or Natural Resources Wales. **HAZARDOUS TO BEES.** Do not apply directly to animals. Do not apply to clothing or human bedding. Protect milk machinery and milk containers from contamination. Collect eggs and remove feed, exposed water and milk before application. Not to be used on pet bedding, pet sleeping quarters or where pets frequently lie.

**PRECAUTIONS:** Wear suitable protective clothing (coveralls), suitable protective gloves and suitable approved respiratory equipment and goggles when applying the product through a fogging machine, spraying, or handling the product. Do not spill or spray directly onto plastic materials. Wash any contamination from eyes or skin immediately. Keep only in original container. Keep container tightly closed. Ensure adequate ventilation when applying. Ventilate treated area thoroughly after application. **KEEP OUT OF REACH OF CHILDREN.** Keep away from sources of ignition – no smoking. Do not apply in the presence of naked flames, hot surfaces or unprotected electrical equipment. Do not breathe gas/fumes/vapour/spray. In case of insufficient ventilation wear suitable respiratory equipment. Do not contaminate foodstuffs, eating utensils or food contact surfaces. Do not contaminate ground, water bodies or water courses with chemicals or used container. If swallowed, do not induce vomiting; seek medical advice immediately and show this container or label. Do not empty into drains. Use within two years of manufacture. Protect from frost. Safety data sheet available on request.

**STATUTORY CONDITIONS OF APPROVAL RELATING TO USE. FOR USE ONLY AS AN INSECTICIDE. FOR USE ONLY BY PROFESSIONAL OPERATORS.**

Application rate: See "DIRECTIONS FOR USE" for details on dose rates. Users must comply in full with all their legal responsibilities under the Control of Pesticides Regulations 1986 (as amended), including complying with all Conditions of Approval. **READ ALL PRECAUTIONS BEFORE USE.** HSE 6399-002-GB, HSE 6399-002-NI

Batch No:

Manuf. Date:

Expiry Date:

**Health, Safety & Environmental Information:**

Contains: Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics. May be fatal if swallowed and enters airways. Very toxic to aquatic life with long lasting effects. Avoid release to the environment. **IF SWALLOWED:** Immediately call a POISON CENTER/Doctor. Do NOT induce vomiting. Collect spillage. Store locked up. Dispose of contents /container in accordance with national regulations. Contains Permethrin. May produce an allergic reaction.

UFI: 3XR2-YOKV-F00A-65PM



**DANGER**

R1

TO AVOID RISKS TO HUMANS, ANIMALS AND THE ENVIRONMENT, COMPLY WITH THE INSTRUCTIONS FOR USE.

Authorisation Holder: HOCKLEY INTERNATIONAL LTD, Hockley House, 3 Longstone Road, Ashbrook Office Park, Manchester M22 5LB, United Kingdom. Telephone: +44 (0)161 209 7400