Pyrethroid Insecticide CONCENTRATE

Insecticide for professional use against crawling and flying insects.

Contains: Cypermethrin 10 %, Tetramethrin 5 %





Ants



Cockroaches



Stored Product Insects

Barrettine

St. Ivel Way, Warmley, Bristol BS30 8TY.

T: 0117 967 2222 F: 0117 961 4122

E: beh@barrettine.co.uk www.barrettine.co.uk



Flying Insects

Description

Insecticide for professional use against crawling and flying insects such as: Files, Moths, Beetles, Fleas, Ticks, Bed Bugs, Cockroaches, Crickets, Silverfish, Booklice, Mites, Ants, Mosquitoes, Wasps and Centipades.

For use in and around domestic properties, public and municipal areas, refuse tips, poultry houses, slaughter houses and manure heaps.

Application

Remove cap from dosing chamber on bottle. Squeeze bottle to fill dosing chamber. Add to 5 litres of clean water and mix well. Apply according to Statutory Conditions as a coarse spray.

500 ml



STATUTORY CONDITIONS OF APPROVAL RELATING TO USE

FOR USE ONLY AS AN INSECTICIDE, FOR USE ONLY BY PROFESSIONAL OPERATORS

Routine Treatment: Dilute 25 ml in 5 liltes of water and apply at a rate of 50 ml per square metre Heavy Infestations: Dilute 50 ml in 5 liltes of water and apply at a rate of 50 ml per square metre Apply as a coarse spray.

Apply at a rate of 50 ml per square metre. (1 litre per 20 square metres)

Users must comply in full with all their legal responsibilities under The Control of Pesticide Regulations 1986 (as emended), including complying with all conditions of approval. This product is approved under The Control of Pesticides Regulations 1986 (as amended) for use

READ ALL PRECAUTIONS BEFORE USE

HSE 9992

PRECAUTIONS

as directed

The Coshi (Control of Substances Hazardous to Health) regulations 2002 (as amended) apply to the use of this product at work. * Keep in a safe place. * Wash Hands and exposed skin before Meals and a fire use. * Ocuper all waters torage tanks before application. Do not contaminate foodstyfes, eating utensis or food contact supraces. * Collect eggs and remove feed, exposed water and milk before application. * Avoid excessive contamination of coveralls. * Do not apply to clothes and bedding. * Exclude all persons and animals during treatment. * Do not apply directiv to animals. * Do not apply directiv to livestock and poultry. * Hazardous to bees. * All bats are projected under the wildlife and countryside act of 1981. Before treating any structure used by bats consult natural england, scottish natural heritage or the countryside council.

Very toxic to aquatic life with long lasting effects.

Avoid release into the environment. Collect Spillage. Dispose of contents as hazardous waste in accordance with local/regional/ national/international regulations. To avoid risks to man and the environment, comply with instructions for use. Use within two years of manufacture. Protect from frost



Contains: Cypermethrin 10 %, Tetramethrin 5 %

Warning