



A capsule suspension formulation containing 100 g/l (9.71% w/w) lambda-cyhalothrin.

VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

Avoid release to the environment.

Collect spillage.

Dispose of contents/container to an approved waste disposal plant.

Contains 1,2-benzisothiazol-3-one. May produce an allergic reaction.



To avoid risks to human health and the environment, comply with the instructions for use.

- * The (COSH) Control of substances Hazardous to Health regulations 2002 (as amended) apply to the use of this product at work.
- * Avoid excessive contamination of coveralls.
- * DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES. CLEAN FOOD CONTACT SURFACES AND EQUIPMENT PRIOR TO USING.
- * Do not empty into drains.
- * REMOVE OR COVER FISH TANKS AND BOWLS before application.
- * UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS UNTIL SURFACES ARE DRY.
- * COVER ALL WATER STORAGE TANKS before application.
- * FOR GREAT BRITAIN: ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.
- * FOR IRELAND: ALL BATS ARE PROTECTED UNDER SCHEDULE 5 OF THE WILDLIFE ACTS (1976 AND 2000). BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT THE NATIONAL PARKS AND WILDLIFE SERVICE.
- * HAZARDOUS TO BEES.
- * FOR INDOOR USE ONLY.
- * WASH HANDS AND EXPOSED SKIN before meals and after use.
- * KEEP IN A SAFE PLACE.
- * DO NOT TOUCH TREATED SURFACES UNTIL DRY.

STATUTORY CONDITIONS OF APPROVAL RELATING TO USE

FOR USE ONLY AS AN INSECTICIDE FOR USE ONLY BY PROFESSIONAL OPERATORS

For use in hygiene areas - including offices, shops, factories, museums, cinemas, hospitals (not in occupied wards), military establishments, ships and waste storage areas.

May also be used as a crack and crevice treatment in food handling areas including canteens, restaurants, food factories and ship's galleys.

Demand CS may also be used in domestic premises - including kitchens, as a crack and crevice treatment only.

Not for use on soft furnishings, bedding or mattresses.

Pest

Cockroaches, ants, fleas, beetles earwigs, bed-bugs, firebrats, silverfish, mites^a.

Dilution

Light infestation: Dilute 12.5 ml into 5 l of water

Heavy infestation: Dilute 25 ml into 5 l of water

Application

Apply to 100m² as a coarse surface spray or as a crack and crevice treatment.

Pest

Flies^b, mosquitoes^c

Dilution

Light infestation: Dilute 12.5 ml into 5 l of water

Heavy infestation: Dilute 25 ml into 5 l of water

Application

Apply to 100m² as a coarse surface spray

^a re-treat at periods of 2 - 3 months as necessary.

^b re-treat at periods of 3 months as necessary.

^c re-treat at periods of 1 month as necessary.

Users must comply in full with all their legal responsibilities under the Control of Pesticides Regulations 1986 (as amended), including complying with all Conditions of Approval.

READ ALL PRECAUTIONS BEFORE USE

HSE 6287 / PCS 97193

DIRECTIONS FOR USE

Shake bottle before use.

Apply using any conventional manual or pump sprayer equipped to produce a coarse spray.

Add the appropriate volume of Demand CS to the required volume of clean water and shake to mix well.

Use the auto-measure bottle, fill the reservoir with the correct amount of product by unscrewing the cap a quarter turn and then squeezing the bottle.

NOTE TO DOCTOR

This product contains a pyrethroid insecticide. It is of low toxicity and acute poisoning is unlikely to occur.

Transient skin sensations, including facial paresthesia, have been observed in humans. Treat symptomatically.

For comprehensive medical advice on the treatment of poisoning, contact the nearest Poisons Information Centre.

**In case of toxic or transport emergency
ring +44 (0)1484 538444 any time.**

Marketed by:

Syngenta Crop Protection AG

Schwarzwaldallee 215, Basel, Switzerland