

IMPROVED FORMULA

Flymax[®] SUPER



Contains: 0.23% w/w Permethrin, 1.15% w/w Piperonyl Butoxide

For Professional Use Only. For use only as an Insecticide.

KILLS

FLYING INSECTS

FLIES

WASPS

MOSQUITOES

MOTHS

MIDGES

GNATS

CRAWLING INSECTS

BED BUGS

FLEAS

BEETLES

BOOK LICE

READY TO USE
FORMULATION



Barrettine
Environmental Health

St. Ivel Way, Warmley, Bristol BS30 8TY

Tel: 0117 967 2222 Fax: 0117 961 4122

Email: beh@barrettine.co.uk www.barrettine.co.uk

HSE No. 10234

5 litre

Flymax[®] SUPER



AREAS OF USE:

Insecticide For Professional Use against Insects such as Flies, Wasps, Mosquitoes, Midges, Gnats, Fleas, Beetles, Bedbugs, Moths and Booklice by application in Domestic, Commercial and Industrial Premises such as Hospitals (unoccupied wards only), Hotels, Food Factories, Refuse Storage Areas, Tips and Farm Buildings.

APPLICATION:

As a space spray: Apply 1 litre of product per 300 cubic metres of treatable volume.

As a Surface spray: Apply 1 litre of product per 100 square metres of surface.

Use only as described on label.

PRECAUTIONS:

USE ONLY AS DESCRIBED ON THE LABEL. WASH ANY CONTAMINATION from skin or eyes immediately. WASH HANDS AND EXPOSED SKIN before meals and after use. Keep only in original container. Keep container tightly closed. KEEP IN A SAFE PLACE. Keep out of the reach of children. Keep away from food, drink and animal feeding stuffs. VENTILATE TREATED AREAS THOROUGHLY after application. Keep away from sources of ignition- No smoking. COLLECT EGGS AND REMOVE FEED, EXPOSED WATER AND MILK BEFORE APPLICATION.

STATUTORY CONDITIONS RELATING TO USE:

FOR USE ONLY BY PROFESSIONAL OPERATORS. The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work. Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment. Wear suitable protective clothing and suitable gloves. AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDRER REGULARLY. DO NOT BREATHE FOG OR SPRAY MIST. Otherwise wear respiratory protective equipment and eye protection (see HSE Guidance Booklet HS (G) 53 "Respiratory Protective Equipment- a practical guide for users"). However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection. DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES. KEEP AWAY FROM TREATED SURFACES UNTIL DRY. This material and its container must be disposed of in a safe way. Do not empty into drains. If swallowed, do not induce vomiting; seek medical advice immediately and show this container or label. Use only in well ventilated areas. REMOVE OR COVER ALL FISH TANKS AND BOWLS before application. This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container. ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES. DO NOT APPLY DIRECT TO ANIMALS. EXCLUDE ANIMALS DURING APPLICATION. HAZARDOUS TO BEES. EXCLUDE ALL PERSONS AND ANIMALS DURING TREATMENT. DO NOT APPLY DIRECTLY TO LIVESTOCK AND POULTRY. Protect milk machinery and milk containers from contamination.

THIS PRODUCT IS APPROVED UNDER THE CONTROL OF PESTICIDE REGULATIONS 1986 FOR USE AS DIRECTED.

READ ALL PRECAUTIONS BEFORE USE HSE NO.10234
USE ONLY IN ACCORDANCE WITH DIRECTIONS ON THE LABEL.



Danger

HEALTH & SAFETY:

- May be fatal if swallowed and enters airways.
- Very toxic to aquatic life with long lasting effects.
- Avoid release to the environment. • IF ON SKIN: Wash with plenty of soap and water. • IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.
- Collect spillage. • Store in a well-ventilated place. Keep container tightly closed. • Dispose of contents/ container in accordance with local regulations. • IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. • Do NOT induce vomiting. • If skin irritation occurs: Get medical advice/attention.
- Store locked up. • Repeated exposure may cause skin dryness or cracking. • Contains Permethrin. May produce an allergic reaction.



Flymax[®]
SUPER



