### SHAKE REFORE LISE

As a space spray: a 2-3 second burst, sprayed into air is sufficient for an average sized room (30 cubic metres)

Can will take approximately 5 minutes to empty. As a surface spray: a 4-6 second burst will treat an area of one square metre.

## **APPLICATIONS:**

For the control of flies, mosquitoes, ants. cockroaches, wasps, earwigs, silverfish and other bristletails, fleas, beetles, bedbugs, moths and booklice, with application on to hard porous and non-porous surfaces, hard and soft furnishings including bedding.

For amateur use indoors in domestic premises. including kitchens and outdoors on patios, paths and wasps nests.

For professional use in public hygiene including kitchens, hospitals (not occupied wards), hotels, restaurants, public and municipal buildings and on board ships. For use outdoors on patios, paths. amenity areas, transit stations, refuse tips and wasps nests. May be used in cargo holds of aircraft for pre-flight treatment and refuse vehicles. For use in and around farm buildings, cow byres, pig sheds and milking parlours. For use in poultry houses against poultry red mites and litter beetles. Not for use on grain or in grain stores.

Space sprays containing (non-residual) pyrethroids or pyrethrins must not be used more than once a week against houseflies in intensive or controlled environment animal houses as they could cause control failure due to insecticide resistance. If more frequent treatments are required, use a product with a different control method (such as a bait).

Ratch No.

Man. Date:

Exp. Date:



Contents **400**q e

Manufactured by



Buckingham Place, Church Road, Penn, Buckinghamshire UK HP10 8LN Tel 01494 816575 • Fax 01494 816578 www.agropharm.co.uk



# **Natural Aerosol Total Release** Insecticidal Space and **Surface Spray** Water based aerosol containing 100% natural active ingredients for use as a space and surface spray **Contains natural pyrethrum** for those who want a rapid action, who care about the environment and care about operator safety Contains 0.25% w/w pyrethrins

For use only as an insecticide

To avoid risks to man and

the environment, comply

with the instructions for use

### STATUTORY CONDITIONS RELATING TO USE

FOR USE ONLY AS AN INSECTICIDE

FOR AMATEUR USE AND PROFESSIONAL USE

Space spray: a 2-3 second burst, sprayed into air is sufficient for an averaged sized room (30 cubic metres). Can will take approximately

Surface spray: a 4-6 second burst will treat an area of one square metre. FOR AMATEUR USE:

Do not breathe spray

DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SUBFACES

This material and its container must be disposed of in a safe way. Avoid contact with skin

Use only in well-ventilated areas

COVER ALL WATER STORAGE TANKS before application.

REMOVE OR COVER ALL FISH TANKS AND BOWLS before application. Do not empty into drains.

Do not contaminate waterbodies or watercourses with chemicals or used container

KEEP AWAY FROM TREATED SURFACES UNTIL DRY.

DO NOT APPLY DIRECTLY TO ANIMALS. DO NOT APPLY TO CLOTHING.

HAZARDOUS TO BEES

FOR USE ONLY BY PROFESSIONAL OPERATORS.

The following additional precautions apply:

The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work

Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

Wear suitable protective clothing

AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER

However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or

higher standard of protection. DO NOT APPLY DIRECTLY TO LIVESTOCK AND POULTRY. Avoid release to the environment. Refer to special instructions/safety

EXCLUDE ALL PERSONS AND ANIMALS DURING TREATMENT.

Protect milk machinery and milk containers from contamination. READ ALL PRECAUTIONS BEFORE USE, (HSE 8853)

WASH HANDS AND EXPOSED SKIN before meals and after use. KEEP IN A SAFE PLACE

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50oC. Do not pierce or burn even after use. Keep out of the reach of children

WASH ANY CONTAMINATION from skin or eyes immediately.

Keep away from sources of ignition - No Smoking. Do not spray on a naked flame, electrical equipment or any incandescent

UNTIL DRY, TREATED SURFACES CAN POSE A FIRE RISK DO NOT HANDLE TREATED FABRICS UNTIL DRY AND AIR THOROUGHLY BEFORE USE

For professional use only, the following additional precautions apply: COLLECT EGGS AND REMOVE FEED, EXPOSED WATER AND MILK BEFORE

This product is approved under the Control of Pesticides Regulations 1986 (as amended) for use as directed

Use only in accordance with the directions on the label

R12: EXTREMELY FLAMMABLE R51/53: TOXIC TO AQUATIC ORGANISMS MAY CAUSE LONG-TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT

Contains d-limonene.

PCS No. 95684

May produce an allergic reaction





