

1/13

AQUAPY MICRO

Version 12 / GB Revision Date: 24.05.2019
102000011789 Print Date: 24.05.2019

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name AQUAPY MICRO

Product code (UVP) 06477402

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer Environmental Science

230 Cambridge Science Park

Milton Road Cambridge

Cambridgeshire CB4 0WB

United Kingdom

Telephone 00800-1214 9451

Telefax +44(0)1223 426240

Responsible Department Email: ukcropsupport@bayer.com

1.4 Emergency telephone no.

Emergency telephone no. 00800 1020 3333 (24 hr)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Acute aquatic toxicity: Category 1

H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1

H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Chrysanthemum cinerariaefolium, ext.
- Piperonyl butoxide



AQUAPY MICRO

2/13 Revision Date: 24.05.2019 Version 12/GB 102000011789 Print Date: 24.05.2019



||Signal word: Warning

Hazard statements

Very toxic to aquatic life with long lasting effects. H410

EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-

isothiazolin-3-one (3:1). May produce an allergic reaction.

EUH401 To avoid risks to human health and the environment, comply with the instructions for

use.

Precautionary statements

P391 Collect spillage.

P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or

collection site except for empty clean containers which can be disposed of as non-

hazardous waste.

2.3 Other hazards

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

Emulsion, oil in water (EW)

Chrysanthemum cinerariaefolium, extract 30 g/l; Piperonyl butoxide 135 g/l

Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. /	Classification	Conc. [%]	
	EC-No. / REACH Reg. No.	REGULATION (EC) No 1272/2008]	
Chrysanthemum cinerariaefolium, ext.	89997-63-7 289-699-3	Acute Tox. 4, H302 Acute Tox. 4, H332 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410		
Piperonyl butoxide	51-03-6 200-076-7 01-2119537431-46-xxxx	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	13.50	
Polyalkyleneoxide modified Heptamethyltrisiloxane	27306-78-1	Acute Tox. 4, H332 Eye Irrit. 2, H319 Aquatic Chronic 2, H411	> 1.00 - < 25.00	
Distillates (petroleum), hydrotreated light	64742-47-8 265-149-8 01-2119456620-43-xxxx	Asp. Tox. 1, H304	> 1.00 - < 10.00	
reaction mass of 5-chloro-	55965-84-9	Acute Tox. 3, H301	> 0.00015 -	



AQUAPY MICRO

3/13 Version 12/GB Revision Date: 24.05.2019 102000011789 Print Date: 24.05.2019

2- methyl-2H-isothiazol-3- one and 2-methyl-2H- isothiazol-3- one (3:1)		Acute Tox. 2, H310 Acute Tox. 2, H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	< 0.0015	
Cetyl alcohol	36653-82-4 253-149-0 01-2119485905-24-xxxx	Not classified	> 1	

Further information

Chrysanthemum cinerariaefolium, ext.	89997-63-7	M-Factor: 100 (chronic)
Piperonyl butoxide	51-03-6	M-Factor: 1 (acute)
reaction mass of 5- chloro-2- methyl- 2H-isothiazol-3- one and 2-methyl- 2H-isothiazol-3- one (3:1)	55965-84-9	M-Factor: 100 (acute), 100 (chronic)

Substances for which there are Community workplace exposure limits: Chrysanthemum cinerariaefolium, ext. (89997-63-7)

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice Move out of dangerous area. Place and transport victim in stable

position (lying sideways). Remove contaminated clothing immediately

and dispose of safely.

Inhalation Move to fresh air. Keep patient warm and at rest. Call a physician or

poison control center immediately.

Wash off thoroughly with plenty of soap and water, if available with Skin contact

> polyethyleneglycol 400, subsequently rinse with water. Warm water may increase the subjective severity of the irritation/paresthesia. This is not a sign of systemic poisoning. In case of skin irritation, application of oils or lotions containing vitamin E may be considered. If symptoms

persist, call a physician.

Rinse immediately with plenty of water, also under the eyelids, for at Eye contact

> least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Warm water may increase the subjective severity of the irritation/paresthesia. This is not a sign of systemic poisoning. Apply soothing eye drops, if needed anaesthetic eye drops. Get medical attention if irritation develops and persists.

Do NOT induce vomiting. Do not leave victim unattended. Call a Ingestion

physician or poison control center immediately.



4/13

AQUAPY MICRO

Version 12/GB Revision Date: 24.05.2019 102000011789 Print Date: 24.05.2019

4.2 Most important symptoms and effects, both acute and delayed

Local:, Skin and eye paraesthesia which may be severe, Usually **Symptoms**

transient with resolution within 24 hours, Skin, eye and mucous

membrane irritation, Cough, Sneezing

Systemic:, discomfort in the chest, tachycardia, Hypotension, Nausea, Abdominal pain, Diarrhoea, Vomiting, Blurred vision, Headache, Anorexia, Somnolence, Coma, Convulsions, Tremors, Prostration. Airway hyperreaction, Pulmonary oedema, Palpitation, Muscular

fasciculation, Apathy, Dizziness

4.3 Indication of any immediate medical attention and special treatment needed

This product contains a pyrethroid. Pyrethroid poisoning should not be Risks

confused with carbamate or organophosphate poisoning.

Treatment Systemic treatment: Initial treatment: symptomatic. Monitor: respiratory

and cardiac functions. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. Keep respiratory tract clear. Oxygen or

artificial respiration if needed. In case of convulsions, a

benzodiazepine (e.g. diazepam) should be given according to standard

regimens. If not effective, phenobarbital may be used.

Contraindication: atropine. Contraindication: derivatives of adrenaline. There is no specific antidote. Recovery is spontaneous and without

sequelae.

In case of skin irritation, application of oils or lotions containing vitamin

In the event of fire and/or explosion do not breathe fumes. In the event

E may be considered.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

5.2 Special hazards arising

from the substance or

mixture

Dangerous gases are evolved in the event of a fire.

5.3 Advice for firefighters

Special protective

equipment for firefighters

of fire, wear self-contained breathing apparatus.

Further information Contain the spread of the fire-fighting media. Do not allow run-off from

fire fighting to enter drains or water courses.



AQUAPY MICRO

5/13 Version 12/GB Revision Date: 24.05.2019 102000011789 Print Date: 24.05.2019

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. Use

personal protective equipment.

6.2 Environmental

precautions

Do not allow to get into surface water, drains and ground water. If spillage enters drains leading to sewage works inform local water company immediately. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800

807060).

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

> binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in

suitable, closed containers for disposal.

Additional advice Check also for any local site procedures.

6.4 Reference to other

sections

Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling No specific precautions required when handling unopened

packs/containers; follow relevant manual handling advice.

Advice on protection against fire and explosion Keep away from heat and sources of ignition.

Avoid contact with skin, eyes and clothing. Keep working clothes Hygiene measures

separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be

destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Keep away from direct sunlight. Protect from frost.

Suitable materials HDPE (high density polyethylene) 7.3 Specific end use(s) Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters



6/13

AQUAPY MICRO

Version 12 / GB Revision Date: 24.05.2019
102000011789 Print Date: 24.05.2019

Components	CAS-No.	Control parameters	Update	Basis
Chrysanthemum cinerariaefolium, ext.	89997-63-7	1 mg/m3 (TWA)	12 2011	EH40 WEL
Chrysanthemum cinerariaefolium, ext.	89997-63-7	1 mg/m3 (TWA)	12 2009	EUELV
Chrysanthemum cinerariaefolium, ext.	89997-63-7	1 mg/m3 (TWA)	2014	EUSCOELS
Piperonyl butoxide	51-03-6	50 ppm (TWA)		OES BCS*

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

Respiratory protection is not required under anticipated

circumstances of exposure.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's

instructions regarding wearing and maintenance.

Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating,

drinking, smoking or using the toilet.

Material Nitrile rubber
Rate of permeability > 480 min
Glove thickness > 0.4 mm

Directive Protective gloves complying with EN

374.

Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection

Wear standard coveralls and Category 3 Type 6 suit.

If there is a risk of significant exposure, consider a higher protective

type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and

should be professionally laundered frequently.

If chemical protection suit is splashed, sprayed or significantly



7/13

AQUAPY MICRO

Version 12 / GB Revision Date: 24.05.2019
102000011789 Print Date: 24.05.2019

contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form emulsion

Colour white to light yellow

Odour weak, characteristic

>= 6.0 (100 %) (23 °C)

Flash point $> 79 \,^{\circ}\text{C}$

Density ca. 1.00 g/cm³ (20 °C)

Water solubility miscible

Partition coefficient: n-

octanol/water

Chrysanthemum cinerariaefolium, ext.: Pow: > 4

Piperonyl butoxide: log Pow: 4.75

Viscosity, dynamic <= 100 mPa.s (20 °C) Velocity gradient 7.5/s

Surface tension 25.8 mN/m (25 °C)

Determined in the undiluted form.

Oxidizing properties No oxidizing properties

Explosivity Not explosive

9.2 Other information Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Thermal decomposition Stable under normal conditions.

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of

No hazardous reactions when stored and handled according to

hazardous reactions prescribed instructions.

10.4 Conditions to avoid Extremes of temperature and direct sunlight.

10.5 Incompatible materials Store only in the original container.

10.6 Hazardous

decomposition products

No decomposition products expected under normal conditions of use.



8/13

AQUAPY MICRO

Version 12 / GB Revision Date: 24.05.2019
102000011789 Print Date: 24.05.2019

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 5,000 mg/kg
Acute inhalation toxicity LC50 (Rat) > 1.64 mg/l

Exposure time: 4 h
Determined in the form of a respirable aerosol.

Highest attainable concentration.

No deaths

Acute dermal toxicity LD50 (Rat) > 5,000 mg/kg
Skin corrosion/irritation No skin irritation (Rabbit)
Serious eye damage/eye No eye irritation (Rabbit)

irritation

Respiratory or skin Non-sensitizing. (Mouse)

sensitisation OECD Test Guideline 429, local lymph node assay (LLNA)

Assessment STOT Specific target organ toxicity - single exposure

Chrysanthemum cinerariaefolium, ext.: This information is not available.

Piperonyl butoxide: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity - repeated exposure

Chrysanthemum cinerariaefolium, ext.: This information is not available.

Piperonyl butoxide did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Chrysanthemum cinerariaefolium, ext. was not genotoxic in a battery of in vitro tests. Piperonyl butoxide was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Chrysanthemum cinerariaefolium, ext.: Based on available data, the classification criteria are not met. Piperonyl butoxide was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Chrysanthemum cinerariaefolium, ext.: Based on available data, the classification criteria are not met. Piperonyl butoxide did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Chrysanthemum cinerariaefolium, ext.: Based on available data, the classification criteria are not met. Piperonyl butoxide did not cause developmental toxicity in rats and rabbits.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 0.244 mg/l

Exposure time: 96 h



9/13

AQUAPY MICRO

Version 12 / GB Revision Date: 24.05.2019
102000011789 Print Date: 24.05.2019

Toxicity to aquatic

EC50 (Daphnia magna (Water flea)) 0.216 mg/l

invertebrates

Exposure time: 48 h

Toxicity to aquatic plants

EC50 (Raphidocelis subcapitata (freshwater green alga)) 4.9 mg/l

Exposure time: 72 h

12.2 Persistence and degradability

Biodegradability Chrysanthemum cinerariaefolium, ext.:

Not readily biodegradable. Piperonyl butoxide: Not rapidly biodegradable

Koc Piperonyl butoxide: Koc: 399 - 830

12.3 Bioaccumulative potential

Bioaccumulation Chrysanthemum cinerariaefolium, ext.: Bioconcentration factor (BCF)

471

Piperonyl butoxide:
Potential bioaccumulation

12.4 Mobility in soil

Mobility in soil Chrysanthemum cinerariaefolium, ext.: Immobile in soil

Piperonyl butoxide: Moderately mobile in soils

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment Chrysanthemum cinerariaefolium, ext.: This substance is not considered

to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Piperonyl butoxide: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

12.6 Other adverse effects

Additional ecological

information

No other effects to be mentioned.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product In accordance with current regulations and, if necessary, after

consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant. Advice may be obtained from the local waste regulation authority (part

of the Environment Agency in the UK).

Contaminated packaging Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using

an integrated pressure rinsing device, or, by manually rinsing three

times.

Add washings to sprayer at time of filling.



10/13

AQUAPY MICRO

 Version 12 / GB
 Revision Date: 24.05.2019

 102000011789
 Print Date: 24.05.2019

Dispose of empty and cleaned packaging safely.

Large containers (> 25 l or > 25 kg) should not be rinsed or re-used for

any other purpose.

Return large containers to supplier.

Follow advice on product label and/or leaflet.

Waste key for the unused

product

02 01 08* agrochemical waste containing hazardous substances

SECTION 14: TRANSPORT INFORMATION

ADR/RID/ADN

14.1 UN number **3082**

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(PYRETHRINS SOLUTION)

14.3 Transport hazard class(es)
14.4 Packaging Group
14.5 Environm. Hazardous Mark
Hazard no.
90

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1 UN number 3082

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(PYRETHRINS SOLUTION)

14.3 Transport hazard class(es) 9
14.4 Packaging Group III
14.5 Marine pollutant YES

IATA

14.1 UN number **3082**

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(PYRETHRINS SOLUTION)

14.3 Transport hazard class(es)
14.4 Packaging Group
14.5 Environm. Hazardous Mark
YES

UK 'Carriage' Regulations

14.1 UN number 3082

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(PYRETHRINS SOLUTION)

14.3 Transport hazard class(es)
14.4 Packaging Group
14.5 Environm. Hazardous Mark
Emergency action code
9
III
25
37
37
38
38
39
31
31
31
31
32

14.6 Special precautions for user



Print Date: 24.05.2019

11/13

AQUAPY MICRO

Version 12/GB Revision Date: 24.05.2019 102000011789

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

UK and Northern Ireland Regulatory References

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

Transport

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No 1348)

Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No 2367) Air Navigation Dangerous Goods Regulations 2002 (SI 2002 No 2786)

Supply and Use

Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716)

Chemical (Hazard Information and Packaging for Supply) (Northern Ireland) Regulations 2009

Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No 2677)

EH40 Occupational Exposure Limits - Table 1 List of approved workplace exposure limits

Control of Pesticide Regulations 1986

Dangerous Substances and Explosive Atmospheres Regulations 2002

Waste Treatment

Environmental Protection Act 1990, Part II

Environmental Protection (Duty of Care) Regulations 1991

The Waste Management Licensing Regulations 1994 (as amended)

Hazardous Waste Regulations 2005 (Replacing Special Waste Regulations 1996 as amended) Landfill Directive

Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)

Water Resources Act 1991

Anti-Pollution Works Regulations 1999

Further information

WHO-classification: U (Unlikely to present acute hazard in normal use)

15.2 Chemical safety assessment

A chemical safety assessment is not required.

SECTION 16: OTHER INFORMATION

Text of the hazard statements mentioned in Section 3

H301 Toxic if swallowed. Harmful if swallowed. H302



12/13

AQUAPY MICRO

Version 12 / GB Revision Date: 24.05.2019
102000011789 Print Date: 24.05.2019

H304 May be fatal if swallowed and enters airways.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H330 Fatal if inhaled.
H332 Harmful if inhaled.
H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

Conc. Concentration

EC-No. European community number ECx Effective concentration to x %

EH40 WEL Worker Exposure Limit

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances

EN European Standard
EU European Union

IATA International Air Transport Association

IBC International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk (IBC Code)

ICx Inhibition concentration to x %

IMDG International Maritime Dangerous Goods

LCx Lethal concentration to x %

LDx Lethal dose to x %

LOEC/LOEL Lowest observed effect concentration/level

MARPOL: International Convention for the prevention of marine pollution from ships

N.O.S. Not otherwise specified

NOEC/NOEL No observed effect concentration/level

OECD Organization for Economic Co-operation and Development

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

SI Statutory Instrument
TWA Time weighted average

UN United Nations

WHO World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2015/830 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.



AQUAPY MICRO

13/13 Version 12/GB 102000011789 Revision Date: 24.05.2019 Print Date: 24.05.2019

Safety Data Sheet according to Regulation (EU) No. 2015/830. The following sections have been revised: Section 2: Hazards Identification. Reason for Revision:

Section 3: Composition / Information on Ingredients.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.