

# SAFETY DATA SHEET

Based on Regulation (EC) No. 1907/2006 (REACH) Article 31 and Annex II

# **AVISIL 110094**

# 1. Identification of the substance/preparation and of the company/undertaking

#### 1.1 Identification of the substance or preparation:

Product name

AVISIL 110094

### 1.2 Use of the substance/preparation:

Sealant

## 1.3 Company/undertaking identification:

SOUDAL N.V. Everdongenlaan 18-20 B-2300 Turnhout Tel: +32 14 42 42 31 Fax: +32 14 44 39 71 msds@soudal.com

# 1.4 Emergency telephone:

24h/24h:

+32 14 58 45 45 (BIG)

# Hazards identification

#### DSD/DPD

Not classified as dangerous according to the criteria of directive(s) 67/548/EEC and/or 1999/45/EC

#### Other hazards

Slightly irritant to skin

Slightly irritant to eyes

May produce an allergic reaction

Contains a substance which is (possibly) carcinogenic Contains traces of a (possible) teratogenic substance

# 3. Composition/information on ingredients

Name	CAS No EINECS/ELINCS		Classification according to DSD/DPD	Classification according to CLP	Note
butan-2-one O,O',O''-(vinylsilylidyne)trioxime	2224-33-1 218-747-8	0.1% <c<1%< td=""><td></td><td>Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317</td><td>(1)</td></c<1%<>		Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317	(1)
	96-29-7 202-496-6	0.1% <c<1%< td=""><td>Xn; R21 Xi; R41 R43</td><td>Carc. 2; H351 Flam. Liq. 3; H226 Acute Tox. 4*; H312 Eye Dam. 1; H318 Skin Sens. 1; H317</td><td>(1)(2)</td></c<1%<>	Xn; R21 Xi; R41 R43	Carc. 2; H351 Flam. Liq. 3; H226 Acute Tox. 4*; H312 Eye Dam. 1; H318 Skin Sens. 1; H317	(1)(2)

(1) For R-phrases and H-statements in full: see heading 16 (2) Substance with a Community workplace exposure limit

# 4. First aid measures

#### 4.1 After inhalation:

Remove the victim into fresh air

Respiratory problems: consult a doctor/medical service

### 4.2 Skin contact:

Wash immediately with lots of water

Soap may be used

Take victim to a doctor if irritation persists

Created by: Brandweerinformatiecentrum voor Gevaarlijke Stoffen vzw (BIG)

Technische Schoolstraat 43 A, B-2440 Geel

http://www.big.be

Reason for revision: REACH

Revision number: 0200

Edition date: 2002-03-12 Date of revision: 2011-06-09

87 - 321 - 15960 -

Product number: 37528

### 4.3 Eye contact:

Rinse with water

Take victim to an ophthalmologist if irritation persists

#### 4.4 After ingestion:

Rinse mouth with water

Consult a doctor/medical service if you feel unwell

# 5. Fire-fighting measures

## 5.1 Suitable extinguishing media:

Water spray

Polyvalent foam

ABC powder

Carbon dioxide

## 5.2 Unsuitable extinguishing media:

No unsuitable extinguishing media known

#### 5.3 Special exposure hazards:

Heating increases the fire hazard

Upon combustion CO and CO2 are formed

#### 5.4 Instructions:

No specific fire-fighting instructions required

## 5.5 Special protective equipment for fire-fighters:

Gloves

Protective clothing

Heat/fire exposure: compressed air/oxygen apparatus

# 6. Accidental release measures

## 6.1 Personal precautions:

See heading 8.2

#### 6.2 Environmental precautions:

Use appropriate containment to avoid environmental contamination See heading 13

## 6.3 Methods for cleaning up:

Scoop solid spill into closing containers

Clean contaminated surfaces with a soap solution

Wash clothing and equipment after handling

# Handling and storage

## 7.1 Handling:

Keep away from naked flames/heat

Observe strict hygiene

Keep container tightly closed

## 7.2 Storage:

#### Safe storage requirements:

Store in a dry area

Keep container in a well-ventilated place

Store at room temperature

Meet the legal requirements

Storage temperature: 20 °C

Max. storage time: 1 year(s)

#### Keep away from:

oxidizing agents

#### Suitable packaging material:

synthetic material

Revision number: 0200 Product number: 37528





2/7

### 7.3 Specific use(s):

See information supplied by the manufacturer for the identified use(s)

# 8. Exposure controls/Personal protection

## 8.1 Exposure limit values:

8.1.1 Occupational exposure:

If limit values are applicable and available these will be listed below.

## 8.2 Exposure controls:

8.2.1 Occupational exposure controls:

Carry operations in the open/under local exhaust/ventilation or with respiratory protection

Personal protective equipment:

a) Respiratory protection:

Respiratory protection not required in normal conditions

b) Hand protection:

Gloves

c) Eye protection:

Safety glasses

d) Skin protection:

Protective clothing

8.2.2 Environmental exposure controls:

See headings 6.2, 6.3 and 13

# 9. Physical and chemical properties

#### 9.1 General information:

Physical form	Paste
Odour	Characteristic odour
Colour	Variable in colour, depending on the composition

## 9.2 Important health, safety and environmental information:

Flashpoint	>	> 100 °C
Relative density	1	

#### 9.3 Other information:

# 10. Stability and reactivity

#### 10.1 Conditions to avoid:

## Possible fire hazard

heat sources

Stability

Stable under normal conditions

#### 10.2 Materials to avoid:

oxidizing agents

## 10.3 Hazardous decomposition products:

Upon combustion CO and CO2 are formed

# 11. Toxicological information

#### 11.1 Acute toxicity:

butanone oxime

LD50 oral (rat)	> 930 mg/kg
LD50 dermal (rat)	> 2000 mg/kg
LC50 inhalation (rat)	20 mg/l/4h

#### 11.2 Chronic toxicity:

Contains a substance which is (possibly) carcinogenic
Not listed in mutagenicity class (EC,MAK)

Revision number: 0200 Product number: 37528 3 / 7

Contains traces of a (possible) teratogenic substance

butanone oxime

EC carc cat	3	
MAK - Krebserzeugend <mark>Kategorie</mark>	2	
MAK - Schwangerschaf <mark>t Gruppe</mark>	-	
CLP carc cat	category 2	

## 11.3 Acute effects/symptoms:

Inhalation:

No effects known

Skin contact:

Slight irritation

Eye contact:

Slight irritation

Ingestion:

No effects known

#### 11.4 Chronic effects:

ON CONTINUOUS/REPEATED EXPOSURE/CONTACT:

Skin rash/inflammation

# 12. Ecological information

## 12.1 Ecotoxicity:

butanone oxime

LC50 fish

species	value	duration (h)	remarks
ONCORHYNCHUS MYKISS	693 mg/l	96 h	STATIC SYSTEM

EC50 Daphnia

species	value	duration (h)	remarks
DAPHNIA MAGNA	750 mg/l	48 h	

EC50 other aquatic organisms

species	value	duration (h)	remarks
SCENEDESMUS SUBSPICATUS	83 mg/l	72 h	

butan-2-one O,O',O"-(vinylsilylidyne)trioxime

LC50 fish

species	value	duration (h)	remarks
BRACHYDANIO RE <mark>RIO</mark>	>560 mg/l	96 h	

#### 12.2 Mobility:

Volatile organic compounds (VOC)

Solubility in/reaction with water

# 12.3 Persistence and degradability:

Biodegradability in water: no data available

#### 12.4 Bioaccumulative potential:

No bioaccumulation data available

# 12.5 Results of PBT assessment:

Not applicable, based on available data

## 12.6 Other adverse effects:

Not dangerous for the ozone layer (1999/45/EC)

#### 0.135 %

Literature reports: insoluble in water

# 13. Disposal considerations

#### 13.1 Provisions relating to waste:

Waste material code (Directive 2008/98/EC, decision 2001/118/EC)

Revision number: 0200 Product number: 37528 4 / 7

08 04 10 : waste adhesives and sealants other than those mentioned in 08 04 09 Depending on branch of industry and production process, also other EURAL codes may be applicable

Can be considered as non hazardous waste according to Directive 2008/98/EC

# 13.2 Disposal methods:

Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber with energy recovery Remove waste in accordance with local and/or national regulations Do not discharge into drains or the environment

## 13.3 Packaging/Container:

Waste material code packaging (Directive 2008/98/EC) 15 01 02 : plastic packaging

# 14. Transport information

ADR	
Transport	Not subject
UN number	
Class	
Packing group	
Hazard identification number	
Classification code	
Labels	
Environmentally hazardous substance mark	no

#### RID

Transport		Not subject
UN number		
Class		
Packing group		
Classification code		
Labels		
Environmentally hazardous	substance mark	no

### ADN

Transport		Not subject
UN number		
Class		
Packing group		
Classification code		
Labels		
Environmentally hazardous s	substance mark	no

# IMO

Transport	Not subject
UN number	-
Class	
Packing group	
Labels	
Marine pollutant	
Environmentally hazardous substance mark	no

### **ICAO**

10/10		
Transport		Not subject
UN number		
Class		
Packing group		

Revision number: 0200 Product number: 37528 5/7

Labels		
Environmentally hazardous substance mark	no	

# 15. Regulatory information

#### 15.1 EU Legislation:

#### DSD/DPD

Classification according to directives 67/548/EEC, 1999/45/EC and 2006/8/EC

Contains: butanone oxime; butan-2-one O,O',O"-(vinylsilylidyne)trioxime. May produce an allergic reaction.

#### 15.2 National provisions:

#### The Netherlands

Waterbezwaarlijkheid (for NL)

Waste identification other lists of waste

materials

LWCA (the Netherlands): KGA category 05

#### Germany

WGK

Classification water polluting based on the components in compliance with

Verwaltungsvorschrift wassergefährdender Stoffe (VwVwS) of 27 July 2005 (Anhang 4)

#### 15.3 Specific community rules:

REACH Annex XVII - Restriction Contains component(s) included in Annex XVII of Regulation (EC) No. 1907/2006: restrictions on

the manufacture, placing on the market and use of certain dangerous substances, mixtures and

articles

# 16. Other information

The information in this safety data sheet is based on data and samples provided to BIG. The sheet was written to the best of our ability and according to the state of knowledge at that time. The safety data sheet only constitutes a guideline for the safe handling, use, consumption, storage, transport and disposal of the substances/preparations/mixtures mentioned under point 1. New safety data sheets are written from time to time. Only the most recent versions may be used. Old versions must be destroyed. Unless indicated otherwise word for word on the safety data sheet, the information does not apply to substances/preparations/mixtures in purer form, mixed with other substances or in processes. The safety data sheet offers no quality specification for the substances/preparations/mixtures in question.

Compliance with the instructions in this safety data sheet does not release the user from the obligation to take all measures dictated by common sense, regulations and recommendations or which are necessary and/or useful based on the real applicable circumstances. BIG does not guarantee the accuracy or exhaustiveness of the information provided. Use of this safety data sheet is subject to the licence and liability limiting conditions as stated in your BIG licence agreement. All intellectual property rights to this sheet are the property of BIG and its distribution and reproduction are limited. Consult your BIG licence agreement for details.

#### (\*) = INTERNAL CLASSIFICATION (NFPA)

PBT-substances = persistent, bioaccumulative and toxic substances

DSD Dangerous Substance Directive
DPD Dangerous Preparation Directive

CLP (EU-GHS) Classification, labelling and packaging (Globally Harmonised System in Europe)

Full text of any R-phrases referred to under headings 2 and 3:

R21	Harmful in contact with skin			
	Irritating to skin			
R40	Limited evidence of a carcinogenic effect			
R41	Risk of seri <mark>ous damage to eyes</mark>			
R43	May cause sensitisation by skin contact			

Full text of any H-statements referred to under headings 2 and 3:

H226	Flammable <mark>liquid and vapour.</mark>	
H312	Harmful in contact with skin.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H351	Suspected of causing cancer.	

Full text of any classes referred to under headings 2 and 3:

Revision number: 0200 Product number: 37528 6 / 7

	11	43

Acute Tox.	Acute toxi <mark>city</mark>			
Carc.	Carcinogen <mark>icity</mark>			
Eye Dam.	Serious ey <mark>e damage</mark>			
Flam. Liq.	Flammabl <mark>e liquid</mark>			
Skin Irrit.	Skin irritati <mark>on</mark>			
Skin Sens.	Skin sensitization			



Revision number: 0200 Product number: 37528 7 / 7