



K-OTHRINE WG250

Version 8 / GB
102000002830

1/10

Revision Date: 29.01.2015
Print Date: 30.01.2015

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name K-OTHRINE WG250
Product code (UVP) 05942764

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer Environmental Science
230 Cambridge Science Park
Milton Road
Cambridge
Cambridgeshire CB4 0WB
United Kingdom

Telephone 00800-1214 9451
Telefax +44(0)1223 426240
Responsible Department Email: ukinfo@bayercropscience.com

1.4 Emergency telephone no.

Emergency telephone no. 0800-220876 (UK 24 hr)
+44(0)1635-563000 (Overseas 24 hr)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Acute aquatic toxicity: Category 1
H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1
H410 Very toxic to aquatic life with long lasting effects.

Classification according to EU Directives 67/548/EEC or 1999/45/EC

N Dangerous for the environment, R50/53

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Deltamethrin



**K-OTHRINE WG250**Version 8 / GB
10200002830

2/10

Revision Date: 29.01.2015
Print Date: 30.01.2015**Signal word:** Warning**Hazard statements**

H410 Very toxic to aquatic life with long lasting effects.
 EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary statements

P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

2.3 Other hazards

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.2 Mixtures****Chemical nature**

Water dispersible granules (WG)
 Deltamethrin 25% w/w

Hazardous components

R-phrase(s) according to EC directive 67/548/EEC
 Hazard statements according to Regulation (EC) No. 1907/2006

Name	CAS-No. / EC-No.	Classification		Conc. [%]
		EC Directive 67/548/EEC	Regulation (EC) No 1272/2008	
Deltamethrin	52918-63-5 258-256-6	T; R23/25 N; R50/53	Acute Tox. 3, H331 Acute Tox. 3, H301 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	25.00
Naphthalenesulfonic acid, butyl-, Me derivs, sodium salts	68909-83-1 272-716-3	Xi; R36	Eye Irrit. 2, H319	> 5.00 – < 10.00
Citric acid	77-92-9 201-069-1	Xi; R36	Eye Irrit. 2, H319	> 1.00 – < 5.00
Docosate sodium	577-11-7 209-406-4	Xi; R38, R41	Eye Dam. 1, H318 Skin Irrit. 2, H315	> 1.00 – < 5.00
Naphthalene and alkyl naphthalene sulphonic acids formaldehyde condensate, sodium salt	68425-94-5	Xi; R36/38	Skin Irrit. 2, H315 Eye Irrit. 2, H319	> 10.00
Kaolin	1332-58-7 310-194-1	Not classified	Not classified	> 1.00

Further information

Deltamethrin	52918-63-5	M-Factor: 1,000,000 (acute)
--------------	------------	-----------------------------



K-OTHRINE WG250

Version 8 / GB
102000002830

3/10

Revision Date: 29.01.2015
Print Date: 30.01.2015

For the full text of the R-phrases/ Hazard statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice	Remove contaminated clothing immediately and dispose of safely.
Inhalation	Move the victim to fresh air and keep at rest. Call a physician or poison control center immediately.
Skin contact	Immediately wash with plenty of soap and water for at least 15 minutes. Warm water may increase the subjective severity of the irritation/paresthesia. This is not a sign of systemic poisoning. In case of skin irritation, application of oils or lotions containing vitamin E may be considered. If symptoms persist, call a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Warm water may increase the subjective severity of the irritation/paresthesia. This is not a sign of systemic poisoning. Apply soothing eye drops, if needed anaesthetic eye drops. Get medical attention if irritation develops and persists.
Ingestion	Rinse out mouth and give water in small sips to drink. Do NOT induce vomiting. If swallowed, seek medical advice immediately and show this container or label.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	Local:, Skin and eye paraesthesia which may be severe, Usually transient with resolution within 24 hours, Skin, eye and mucous membrane irritation, Cough, Sneezing Systemic:, Discomfort in the chest, Tachycardia, Hypotension, Nausea, Abdominal pain, Diarrhoea, Vomiting, Dizziness, Blurred vision, Headache, Anorexia, Somnolence, Coma, Convulsions, Tremors, Prostration, Airway hyperreaction, Pulmonary oedema, Palpitation, Muscular fasciculation, Apathy
-----------------	---

4.3 Indication of any immediate medical attention and special treatment needed

Risks	This product contains a pyrethroid. Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.
Treatment	Local treatment: Initial treatment: symptomatic. Systemic treatment: Initial treatment: symptomatic. Monitor: respiratory and cardiac functions. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. Keep respiratory tract clear. Oxygen or artificial respiration if needed. In case of convulsions, a benzodiazepine (e.g. diazepam) should be given according to standard regimens. If not effective, phenobarbital may be used. Contraindication: atropine. Contraindication: derivatives of adrenaline. There is no specific antidote. Recovery is spontaneous and without sequelae.



K-OTHRINE WG250

Version 8 / GB
102000002830

4/10

Revision Date: 29.01.2015
Print Date: 30.01.2015

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable High volume water jet

5.2 Special hazards arising from the substance or mixture Dangerous gases are evolved in the event of a fire.

5.3 Advice for firefighters

Special protective equipment for fire-fighters In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

Further information Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Whenever possible, contain fire-fighting water by diking area with sand or earth.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Keep people away from and upwind of spill/leak. Avoid dust formation. Avoid contact with spilled product or contaminated surfaces. When dealing with a spillage do not eat, drink or smoke.

6.2 Environmental precautions Do not allow to get into surface water, drains and ground water. If spillage enters drains leading to sewage works inform local water company immediately. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Sweep up or vacuum up spillage and collect in suitable container for disposal. Collect and transfer the product into a properly labelled and tightly closed container. Clean floors and contaminated objects with plenty of water.

Additional advice Check also for any local site procedures.

6.4 Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Avoid dust formation. Ensure adequate ventilation.

Hygiene measures When using, do not eat, drink or smoke. Remove soiled clothing

**K-OTHRINE WG250**Version 8 / GB
102000002830

5/10

Revision Date: 29.01.2015

Print Date: 30.01.2015

immediately and clean thoroughly before using again. Contaminated work clothing should not be allowed out of the workplace. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics. Wash hands immediately after work, if necessary take a shower.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in a place accessible by authorized persons only. Keep away from direct sunlight. Keep containers tightly closed in a dry, cool and well-ventilated place.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

Suitable materials Polypropylene-foil (PP)

7.3 Specific end uses Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Deltamethrin	52918-63-5	0.02 mg/m ³ (TWA)		OES BCS*
Kaolin (Respirable dust.)	1332-58-7	2 mg/m ³ (TWA)	12 2011	EH40 WEL

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

8.2 Exposure controls

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection Wear respirator with a particle filter mask (protection factor 4) conforming to European norm EN149FFP1 or equivalent. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection Wear CE Marked (or equivalent) nitrile rubber gloves (minimum thickness of 0,4 mm). Wash when contaminated and dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Eye protection Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection Wear standard coveralls and Category 3 Type 6 suit. If there is a risk of significant exposure, consider a higher protective type suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and

**K-OTHRINE WG250**Version 8 / GB
10200002830

6/10

Revision Date: 29.01.2015
Print Date: 30.01.2015

should be professionally laundered frequently.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**9.1 Information on basic physical and chemical properties**

Form	water-dispersible granules
Colour	beige
Odour	weak, characteristic
pH	2.0 - 4.0 at 1 % (23 °C) (deionized water)
Bulk density	0.750 - 1.000 g/ml
Water solubility	dispersible
Partition coefficient: n-octanol/water	Deltamethrin: log Pow: 6.4 at 25 °C

9.2 Other information Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY**10.1 Reactivity**

Thermal decomposition Stable under normal conditions.

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions No hazardous reactions when stored and handled according to prescribed instructions.

10.4 Conditions to avoid Extremes of temperature and direct sunlight.

10.5 Incompatible materials Store only in the original container.

10.6 Hazardous decomposition products No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION**11.1 Information on toxicological effects**

Acute oral toxicity LD50 (rat) > 3,465 mg/kg

Acute inhalation toxicity LC50 (rat) 1.474 - 4.062 mg/l
Exposure time: 4 h
Determined in the form of a respirable aerosol.
Not relevant because of low dust formation.

Acute dermal toxicity LD50 (rat) > 2,090 mg/kg

Skin irritation Slight irritant effect - does not require labelling. (rabbit)

Eye irritation Slight irritant effect - does not require labelling. (rabbit)

Sensitisation Non-sensitizing. (guinea pig)
OECD Test Guideline 406, Buehler test

Assessment repeated dose toxicity

**K-OTHRINE WG250**Version 8 / GB
102000002830

7/10

Revision Date: 29.01.2015
Print Date: 30.01.2015

Deltamethrin caused neurobehavioral effects and/or neuropathological changes in animal studies. The toxic effects of Deltamethrin are related to transient hyperactivity typical for pyrethroid neurotoxicity.

Assessment Mutagenicity

Deltamethrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment Carcinogenicity

Deltamethrin was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Deltamethrin did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Deltamethrin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Deltamethrin are related to maternal toxicity.

Further information

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours). The toxicological data refer to a similar formulation.

SECTION 12: ECOLOGICAL INFORMATION**12.1 Toxicity**

Toxicity to fish LC50 (Lepomis macrochirus (Bluegill sunfish)) 1.9 mg/l
Exposure time: 96 h
Test conducted with a similar formulation.

Toxicity to aquatic invertebrates EC50 (Daphnia magna (Water flea)) 0.00018 mg/l
Exposure time: 48 h
Test conducted with a similar formulation.

Toxicity to aquatic plants EC50 (Selenastrum capricornutum) 41.7 mg/l
Exposure time: 72 h
Test conducted with a similar formulation.

12.2 Persistence and degradability

Biodegradability Deltamethrin:
not rapidly biodegradable

Koc Deltamethrin: Koc: 10240000

12.3 Bioaccumulative potential

Bioaccumulation Deltamethrin: Bioconcentration factor (BCF) 1,400
Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Deltamethrin: Immobile in soil

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment Deltamethrin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

12.6 Other adverse effects

**K-OTHRINE WG250**Version 8 / GB
10200002830

8/10

Revision Date: 29.01.2015
Print Date: 30.01.2015

Additional ecological information No further ecological information is available.

SECTION 13: DISPOSAL CONSIDERATIONS**13.1 Waste treatment methods**

Product	In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant. Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).
Contaminated packaging	Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using an integrated pressure rinsing device, or, by manually rinsing three times. Add washings to sprayer at time of filling. Dispose of empty and cleaned packaging safely. Large containers (> 25 l or > 25 kg) should not be rinsed or re-used for any other purpose. Return large containers to supplier. Follow advice on product label and/or leaflet.
Waste key for the unused product	020108 agrochemical waste containing dangerous substances

SECTION 14: TRANSPORT INFORMATION**ADR/RID/ADN**

14.1 UN number	3077
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (DELTAMETHRIN MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	90
Tunnel Code	E

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1 UN number	3077
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (DELTAMETHRIN MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Marine pollutant	YES

IATA

14.1 UN number	3077
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.



K-OTHRINE WG250

Version 8 / GB
102000002830

9/10

Revision Date: 29.01.2015
Print Date: 30.01.2015

	(DELTAMETHRIN MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES

UK 'Carriage' Regulations

14.1 UN number	3077
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (DELTAMETHRIN MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES
Emergency action code	2Z

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

UK and Northern Ireland Regulatory References

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

Transport

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No 1348)

Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No 2367)

Air Navigation Dangerous Goods Regulations 2002 (SI 2002 No 2786)

Supply and Use

Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716)

Chemical (Hazard Information and Packaging for Supply) (Northern Ireland) Regulations 2009

Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No 2677)

EH40 Occupational Exposure Limits - Table 1 List of approved workplace exposure limits

Control of Pesticide Regulations 1986

Dangerous Substances and Explosive Atmospheres Regulations 2002

Waste Treatment

Environmental Protection Act 1990, Part II

Environmental Protection (Duty of Care) Regulations 1991

The Waste Management Licensing Regulations 1994 (as amended)

Hazardous Waste Regulations 2005 (Replacing Special Waste Regulations 1996 as amended)

Landfill Directive

Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)

Water Resources Act 1991

Anti-Pollution Works Regulations 1999

Further information



K-OTHRINE WG250

Version 8 / GB
102000002830

10/10

Revision Date: 29.01.2015
Print Date: 30.01.2015

WHO-classification: III (Slightly hazardous)

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: OTHER INFORMATION

Text of R-phrases mentioned in Section 3

R23/25	Toxic by inhalation and if swallowed.
R36	Irritating to eyes.
R36/38	Irritating to eyes and skin.
R38	Irritating to skin.
R41	Risk of serious damage to eyes.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Text of the hazard statements mentioned in Section 3

H301	Toxic if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

Reason for Revision: Safety Data Sheet according to Regulation (EU) No. 453/2010.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.