

1/11

RODILON SOFT BLOCK

Version 6 / GB Revision Date: 21.11.2017 102000023729 Print Date: 29.12.2017

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name RODILON SOFT BLOCK

Product code (UVP) 79855036

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Rodenticide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer Environmental Science

230 Cambridge Science Park

Milton Road Cambridge

Cambridgeshire CB4 0WB

United Kingdom

Telephone 00800-1214 9451 **Telefax** +44(0)1223 426240

Responsible Department Email: ukinfo@bayercropscience.com

1.4 Emergency telephone no.

Emergency telephone no. 00800 1020 3333 (24 hr)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Specific target organ toxicity - repeated exposure: Category 2

H373 May cause damage to organs (Blood) through prolonged or repeated exposure.

Chronic aquatic toxicity: Category 3

H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

difethialone



Signal word: Warning



2/11

RODILON SOFT BLOCK

Version 6 / GB Revision Date: 21.11.2017 102000023729 Print Date: 29.12.2017

Hazard statements

H412 Harmful to aquatic life with long lasting effects.

H373 May cause damage to organs (Blood) through prolonged or repeated exposure.

EUH401 To avoid risks to human health and the environment, comply with the instructions for

use.

Precautionary statements

P102 Keep out of reach of children. P260 Do not breathe dust.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves.

P314 Get medical advice/ attention if you feel unwell.

P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or

collection site except for empty clean containers which can be disposed of as non-

hazardous waste.

2.3 Other hazards

Because of antivitamin K properties of the active ingredient, absorption can inhibit blood coagulation and cause haemorrhagic syndrome.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

Bait (ready for use) (RB) Difethialone 0.0025 % w/w

Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification REGULATION (EC) No 1272/2008	Conc. [%]

Further information

difethialone 104653-34-1	M-Factor: 100 (acute), 100 (chronic)
--------------------------	--------------------------------------

For the full text of the H-Statements mentioned in this Section, see Section 16.



3/11

RODILON SOFT BLOCK

Version 6 / GB Revision Date: 21.11.2017 102000023729 Print Date: 29.12.2017

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice Move out of dangerous area. Place and transport victim in stable

position (lying sideways). Remove contaminated clothing immediately and dispose of safely. Keep under medical supervision for at least 48

hours.

Skin contact Wash off immediately with soap and plenty of water. Take off

contaminated clothing and shoes immediately. If symptoms persist, call

a physician.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation

develops and persists.

Ingestion Do NOT induce vomiting. Rinse mouth. Never give anything by mouth

to an unconscious person. Call a physician or poison control center

immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms If large amounts are ingested, the following symptoms may occur:

Bloody urine, Bloody faeces, Gum bleeding, Nose bleeding, Bruising

and haemorrhage formation

Symptoms and hazards refer to effects observed after intake of

significant amounts of the active ingredient(s).

4.3 Indication of any immediate medical attention and special treatment needed

Risks Because of antivitamin K properties of the active ingredient, absorption

can inhibit blood coagulation and cause haemorrhagic syndrome.

Treatment Symptoms of poisoning may appear several hours later. Keep under

medical supervision for at least 48 hours.

Systemic treatment: Monitor: blood picture. Monitor: prothrombin time/ INR. Antidote: Vitamine K1. Cases of severe poisoning may require the usual measures like application of blood products or transfusions. Recovery is spontaneous and without sequelae. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. Symptoms of

poisoning may appear several hours later.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

Unsuitable High volume water jet



4/11

RODILON SOFT BLOCK

Version 6 / GB Revision Date: 21.11.2017 102000023729 Print Date: 29.12.2017

5.2 Special hazards arising from the substance or

from the substance or mixture

5.3 Advice for firefighters

Special protective equipment for firefighters

Further information

Dangerous gases are evolved in the event of a fire.

In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

Contain the spread of the fire-fighting media. Do not allow run-off from

fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Keep people away from and upwind of spill/leak. Avoid contact with

spilled product or contaminated surfaces. When dealing with a

spillage do not eat, drink or smoke.

6.2 Environmental precautions

Do not allow to get into surface water, drains and ground water. If spillage enters drains leading to sewage works inform local water company immediately. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800

807060).

6.3 Methods and materials for containment and cleaning up

Methods for cleaning upUse mechanical handling equipment. Clean contaminated floors and

objects thoroughly, observing environmental regulations. Collect and

transfer the product into a properly labelled and tightly closed

container.

The nature of this product, when contained in commercial packs, makes spillage unlikely. However, if significant amounts are spilled nevertheless, the following advice is applicable. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean floors and contaminated objects with

plenty of water.

Additional advice Check also for any local site procedures.

6.4 Reference to other

sections

Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling No specific precautions required when handling unopened

packs/containers; follow relevant manual handling advice. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes



5/11

RODILON SOFT BLOCK

Version 6/GB Revision Date: 21.11.2017 102000023729 Print Date: 29.12.2017

> separately. Wash hands before breaks and immediately after handling the product. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container and out of the reach of children, preferably in a locked storage area. Keep away from direct sunlight. Keep containers

tightly closed in a dry, cool and well-ventilated place.

Keep away from food, drink and animal feedingstuffs. Advice on common storage

7.3 Specific end use(s) Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

No known occupational limit values.

8.2 Exposure controls

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

Respiratory protection is not required under anticipated

circumstances of exposure.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's

instructions regarding wearing and maintenance.

Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating,

drinking, smoking or using the toilet.

Material Nitrile rubber Rate of permeability > 480 min Glove thickness > 0.4 mmProtective index Class 6

Protective gloves complying with EN Directive

374.

Eye protection Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).



6/11

RODILON SOFT BLOCK

Version 6 / GB Revision Date: 21.11.2017 102000023729 Print Date: 29.12.2017

Skin and body protection Wear standard coveralls and Category 3 Type 5 suit.

If there is a risk of significant exposure, consider a higher protective

type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and

should be professionally laundered frequently.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form pasty
Colour blue

Flash point Not applicable

Water solubility Not dispersible

Partition coefficient: n-

octanol/water

Difethialone: log Pow: 6.3

Oxidizing properties No oxidizing properties

Explosivity Not explosive

9.2 Other information Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Thermal decomposition Stable under normal conditions.

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

10.4 Conditions to avoid Extremes of temperature and direct sunlight.

10.5 Incompatible materials Store only in the original container.

10.6 Hazardous

decomposition products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 2,500 mg/kg

Acute inhalation toxicity

During intended and foreseen applications, no respirable aerosol is

formed.



7/11

RODILON SOFT BLOCK

Version 6 / GB Revision Date: 21.11.2017 102000023729 Print Date: 29.12.2017

Acute dermal toxicityLD50 (Rat) > 2,000 mg/kgSkin irritationNo skin irritation (Rabbit)Eye irritationNo eye irritation (Rabbit)

Sensitisation Non-sensitizing. (Guinea pig)

OECD Test Guideline 406, Magnusson & Kligman test

Assessment STOT Specific target organ toxicity – single exposure

Difethialone: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity - repeated exposure

Difethialone caused inhibition of blood coagulation possibly causing hemorrhagic syndrome in animal studies. The toxic effects of Difethialone are related to antivitamin K properties.

Assessment mutagenicity

Difethialone was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Difethialone is not considered carcinogenic.

Assessment toxicity to reproduction

Difethialone: May damage the unborn child.

Assessment developmental toxicity

Difethialone did not cause developmental toxicity in rats and rabbits.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

No further toxicological information is available.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 51 μg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient.

Chronic toxicity to fish Oncorhynchus mykiss (rainbow trout)

NOEC: 22 μl/l

The value mentioned relates to the active ingredient.

Toxicity to aquatic EC50 (Daphnia magna (Water flea)) 4,4 μg/l

invertebrates Exposure time: 48 h

The value mentioned relates to the active ingredient.

Chronic toxicity to aquatic N

invertebrates

NOEC (Daphnia magna (Water flea)): 3 µg/l

The value mentioned relates to the active ingredient.

Toxicity to aquatic plants EC50 (Raphidocelis subcapitata (freshwater green alga)) 65 μg/l

Biomass; Exposure time: 96 h



8/11

RODILON SOFT BLOCK

Version 6 / GB Revision Date: 21.11.2017 102000023729 Print Date: 29.12.2017

The value mentioned relates to the active ingredient.

NOEC (Raphidocelis subcapitata (freshwater green alga)) 32 μg/l

The value mentioned relates to the active ingredient.

12.2 Persistence and degradability

Biodegradability Difethialone:

Not rapidly biodegradable

12.3 Bioaccumulative potential

Bioaccumulation Difethialone: Bioconcentration factor (BCF) 39,974

Bioaccumulative

12.4 Mobility in soil

Mobility in soil Difethialone: Immobile in soil

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment Difethialone: This substance is considered to be persistent,

bioaccumulative and toxic (PBT). This substance is considered to be

very persistent and very bioaccumulative (vPvB).

12.6 Other adverse effects

Additional ecological

information

No other effects to be mentioned.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product In accordance with current regulations and, if necessary, after

consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant. Advice may be obtained from the local waste regulation authority (part

of the Environment Agency in the UK).

Contaminated packaging Do not re-use baits or empty containers.

Not completely emptied packagings should be disposed of as

hazardous waste.

Contaminated packaging Do not re-use baits or empty containers.

Not completely emptied packagings should be disposed of as

hazardous waste.

Rinsed packaging may be acceptable for landfill, otherwise incineration

will be required in accordance with local regulations.

Follow advice on product label and/or leaflet.

Waste key for the unused

product

06 13 01* Inorganic plant protection products, wood-preserving agents

and other biocides

SECTION 14: TRANSPORT INFORMATION

According to ADN/ADR/UK 'Carriage' Regulations/RID/IMDG/IATA not classified as dangerous goods.

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer



9/11

RODILON SOFT BLOCK

Version 6 / GB Revision Date: 21.11.2017 102000023729 Print Date: 29.12.2017

to the manufacturer for further information.

14.1 – 14.5 Not applicable.

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

UK and Northern Ireland Regulatory References

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

Transport

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No 1348)

Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No 2367) Air Navigation Dangerous Goods Regulations 2002 (SI 2002 No 2786)

Supply and Use

Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716) Chemical (Hazard Information and Packaging for Supply) (Northern Ireland) Regulations 2009 Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No 2677)

EH40 Occupational Exposure Limits - Table 1 List of approved workplace exposure limits Control of Pesticide Regulations 1986

Dangerous Substances and Explosive Atmospheres Regulations 2002

Waste Treatment

Environmental Protection Act 1990, Part II

Environmental Protection (Duty of Care) Regulations 1991

The Waste Management Licensing Regulations 1994 (as amended)

Hazardous Waste Regulations 2005 (Replacing Special Waste Regulations 1996 as amended)

Landfill Directive

Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)

Water Resources Act 1991

Anti-Pollution Works Regulations 1999

Further information

WHO-classification: III (Slightly hazardous)

15.2 Chemical safety assessment

A chemical safety assessment is not required.



10/11

RODILON SOFT BLOCK

Version 6/GB Revision Date: 21.11.2017 102000023729 Print Date: 29.12.2017

SECTION 16: OTHER INFORMATION

Text of the hazard statements mentioned in Section 3

H300 Fatal if swallowed. H310 Fatal in contact with skin.

H330 Fatal if inhaled.

May damage the unborn child. H360D

H372 Causes damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Ready to use 'Baits' are insecticides packaged in plastic, tamper proof containers.

Abbreviations and acronyms

ADN European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

Concentration Conc.

EC-No. European community number Effective concentration to x % ECx

EH40 WEL Worker Exposure Limit

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances

ΕN European Standard EU **European Union**

IATA International Air Transport Association

International Code for the Construction and Equipment of Ships Carrying Dangerous IBC

> Chemicals in Bulk (IBC Code) Inhibition concentration to x %

IMDG International Maritime Dangerous Goods

LCx Lethal concentration to x %

Lethal dose to x % LDx

ICx

LOEC/LOEL Lowest observed effect concentration/level

MARPOL MARPOL: International Convention for the prevention of marine pollution from ships

Not otherwise specified N.O.S.

No observed effect concentration/level NOEC/NOEL

OECD Organization for Economic Co-operation and Development

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

SI Statutory Instrument TWA Time weighted average

United Nations UN

World health organisation WHO

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.



11/11

RODILON SOFT BLOCK

Version 6 / GB Revision Date: 21.11.2017 102000023729 Print Date: 29.12.2017

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

Reason for Revision: Safety Data Sheet according to Regulation (EU) No. 2015/830. The

following sections have been revised: Section 2: Hazards Identification. Section 4: First Aid Measures. Section 8: Exposure Controls / Personal

Protection. Section 11: Toxicological Information. Section 12.

Ecological information.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.