

Version Revision Date: 1.0 09.01.2018 SDS Number: S161253288

This version replaces all previous versions.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: TALON PELLETS

| Design code | : | A10976C |
|-------------|---|---------|
| 0 | | |

1.2 Relevant identified uses of the substance or mixture and uses advised against

| Use of the | : | Rodenticide |
|-------------------|---|-------------|
| Substance/Mixture | | |

1.3 Details of the supplier of the safety data sheet

| Company | : | Syngenta UK Limited CPC4, Capital Park Fulbourn, Cambridge CB21 5XE United Kingdom |
|---|---|---|
| Telephone | : | +44 (0) 1223 883400 |
| Telefax | : | +44 (0) 1223 882195 |
| E-mail address of person responsible for the SDS | : | customer.services@syngenta.com |

1.4 Emergency telephone number

| Emergency telephone | : +44 1484 538444 |
|---------------------|-------------------|
| number | |

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

| Classification (REGULATION (EC) No 1272 Reproductive toxicity, Category 1A | /2008) |
|---|---|
| reproductive textory, eutogory in t | H360D: May damage the unborn child. |
| Specific target organ toxicity - repeated exposure, Category 2 | H373: May cause damage to organs (blood) through prolonged or repeated exposure . |



| Version | Revision Date: | SDS Number: | This version replaces |
|---------|----------------|-------------|-----------------------|
| 1.0 | 09.01.2018 | S161253288 | |

s all previous versions.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) Hazard pictograms Signal word Danger : Hazard statements H360D May damage the unborn child. : H373 May cause damage to organs (blood) through prolonged or repeated exposure Precautionary statements **Prevention:** : P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe dust. P280 Wear protective gloves/ protective clothing. **Response:** P308 + P313 IF exposed or concerned: Get medical advice/ attention. Storage: P405 Store locked up. **Disposal:** P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

May form combustible dust concentrations in air.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

| Chemical name | CAS-No. EC-No. Index-No. Registration number | Classification | Concentration (% w/w) |
|---|---|---|--------------------------|
| 4-hydroxy-3-(3-(4'-bromo-4- biphenylyl)-1,2,3,4-tetrahydro-1- naphthyl)coumarin | 56073-10-0 259-980-5 607-172-00-1 | Acute Tox. 1; H300 Acute Tox. 1; H330 Acute Tox. 1; H310 Skin Sens. 1B; H317 Repr. 1A; H360D STOT RE 1; H372 Aquatic Acute 1; H400 | >= 0.003 - < 0.02 |



Version 1.0 Revision Date: 09.01.2018

SDS Number: S161253288

This version replaces all previous versions.

| | Aquatic Chronic 1; | |
|--|--------------------|--|
| | H410 | |
| For explanation of abbreviations see section 16. | | |

SECTION 4: First aid measures 4.1 Description of first aid measures General advice Have the product container, label or Safety Data Sheet with : you when calling the emergency number, a poison control center or physician, or going for treatment. If inhaled Move the victim to fresh air. If breathing is irregular or stopped, administer artificial respiration. Keep patient warm and at rest. Call a physician or poison control centre immediately. Take off all contaminated clothing immediately. In case of skin contact Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use. In case of eye contact Rinse immediately with plenty of water, also under the evelids, : for at least 15 minutes. Remove contact lenses. Immediate medical attention is required. If swallowed Take victim immediately to hospital. Do NOT induce vomiting. 4.2 Most important symptoms and effects, both acute and delayed Symptoms of poisoning are typical of anticoagulants. In Symptoms · severe cases there may be bruising, haematomas of the joints, blood in the faeces and urine 4.3 Indication of any immediate medical attention and special treatment needed Treatment This product contains anticoagulants with an effect similar to warfarin in that they act by interfering with the synthesis of prothrombin. The specific measure of effect is the prothrombin time. Note this may not become prolonged until 12-18 hours after ingestion. The specific antidote is vitamin K1 (Phytomenandione). Initially, antidote should be given by injection (10-20mg, or 0.25mg/kg for children), by slow intravenous infusion at a rate not exceeding 1mg/minute. In severe cases the use of fresh frozen plasma may be required.



| Version 1.0 | Revision Date: 09.01.2018 | SDS Number: S161253288 | This version replaces all previous versions. |
|----------------|------------------------------|---|--|
| | | | ce treatment is given orally (40mg/day in divided adults; up to 20mg/day in divided doses for |
| | | monitored. | ombin time and the haemoglobin should be Patients should be kept under medical supervision othrombin time has been normal for 3 consecutive |
| | | (20mg/day | nent may need continuing for several months in divided doses for adults and up to 20mg/day in ses for children). (For animal cases the dose is 2- |
| SECTION | I 5: Firefighting mea | sures | |
| | uishing media | | |
| - | ole extinguishing media | Use water carbon dio Extinguish | ing media - large fires sistant foam |
| Unsui media | table extinguishing | : Do not use fire. | a solid water stream as it may scatter and spread |
| 5.2 Specia | al hazards arising from | the substance | e or mixture |
| - | fic hazards during | : As the pro will produc products o | duct contains combustible organic components, fire e dense black smoke containing hazardous f combustion (see section 10). to decomposition products may be a hazard to |
| E 2 Advis | o for firofightoro | | |

5.3 Advice for firefighters

| Special protective equipment for firefighters | : | Wear full protective clothing and self-contained breathing apparatus. |
|---|---|---|
| Further information | : | Do not allow run-off from fire fighting to enter drains or water courses. Cool closed containers exposed to fire with water spray. |

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

| Personal precautions | : Refer to protective measures listed in sections 7 and 8. | |
|----------------------|--|--|
| | Avoid dust formation. | |



| Version 1.0 | Revision Date: 09.01.2018 | SDS Number: S161253288 | This version replaces all previous versions. |
|----------------|------------------------------|---|---|
| 6.2 Enviro | nmental precautions | | |
| Enviro | nmental precautions | | surface water or sanitary sewer system. ntaminates rivers and lakes or drains inform rities. |
| 6.3 Method | ls and material for co | ntainment and clean | ing up |
| Metho | ds for cleaning up | cleaner or by we disposal accordin Do not create a p air. Clean contamina Clean with deter | pick up with an electrically protected vacuum t-brushing and transfer to a container for ng to local regulations (see section 13). bowder cloud by using a brush or compressed ated surface thoroughly. gents. Avoid solvents. base of contaminated wash water. |

6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

| Advice on safe handling | No special protective measures against fire required. Avoid contact with skin and eyes. When using do not eat, drink or smoke. For personal protection see section 8. |
|---|--|
| 7.2 Conditions for safe storage, | , including any incompatibilities |
| Requirements for storage areas and containers | : No special storage conditions required. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs. |

7.3 Specific end use(s)

Specific use(s)

: For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

| | | | - | | | |
|---------------------|--|---|--------------------|---------|--|--|
| Components | CAS-No. | Value type (Form | Control parameters | Basis | | |
| | | of exposure) | | | | |
| | | | 10 mg/m3 | | | |
| | | | 30 mg/m3 | | | |
| kaolin | 1332-58-7 | TWA (Respirable | 2 mg/m3 | GB EH40 | | |
| | dust) | | | | | |
| Further information | For the purposes of these limits, respirable dust and inhalable dust are those | | | | | |
| | fractions of ail | ractions of airborne dust which will be collected when sampling is undertaken | | | | |



| Version 1.0 | Revision Da 09.01.2018 | te: SDS | Number: 253288 | This versi | ion replaces all previo | us versions. |
|-------------------------|---------------------------|---|--|--|--|--|
| | | sampling and COSHH defin kind when pre 8-hour TWA of This means the above these le exposure to the dusts contain and fate of an and the body particle. HSE 'inhalable' and airborne mate therefore avait approximates lung. Fuller de Where dusts of relevant limits exposure limit used | gravimetric ition of a sub sent at a co of inhalable c hat any dust evels. Some nese must co particles of a y particular response the distinguishe d 'respirable' rial that enter lable for dep to the fractions contain com should be c | analysis of resp ostance hazard ncentration in a dust or 4 mg.m- will be subject dusts have be omply with the a a wide range of particle after en at it elicits, depo s two size fract ., Inhalable dus ers the nose an position in the re on that penetrat d explanatory m ponents that ha complied with., V | d in MDHS14/3 Gene birable and inhalable of ous to health includes air equal to or greater 3 8-hour TWA of resp to COSHH if people a en assigned specific N appropriate limit., Mos f sizes. The behaviour stry into the human re- end on the nature and ions for limit-setting p st approximates to the d mouth during breath espiratory tract. Resp tes to the gas exchan- naterial are given in M ave their own assigned Where no specific sho es the long-term expo | dust, The s dust of any than 10 mg.m-3 irable dust. re exposed WELs and st industrial r, deposition spiratory system d size of the urposes termed fraction of hing and is rable dust ge region of the DHS14/3., d WEL, all the ort-term sure should be |
| sucro | se, pure | 57-50-1 | TWA | 10 mg | | GB EH40 |
| 1-byd | roxy-3-(3-(4'- | 57-50-1 56073-10-0 | STEL TWA | 20 mg | g/m3 2 mg/m3 | GB EH40 Syngenta |
| brom biphe tetrah | | 50075-10-0 | | 0.002 | . mg/mə | Зупуента |

8.2 Exposure controls

Engineering measures

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards. Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

| Eye | protection |
|-----|------------|
|-----|------------|

: No special protective equipment required.

Hand protection

| Material Break through time Glove thickness | | Nitrile rubber > 480 min 0.5 mm |
|---|---|--|
| Remarks | : | Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the |



| Version 1.0 | Revision Date: 09.01.2018 | SDS Number: S161253288 | This version replaces all previous versions. |
|----------------|------------------------------|---|--|
| | | conditions und danger of cuts through time d the thickness a measured for replaced if the breakthrough. The selected p | ake into consideration the specific local ler which the product is used, such as the , abrasion, and the contact time. The break lepends amongst other things on the material, and the type of glove and therefore has to be each case. Gloves should be discarded and re is any indication of degradation or chemical protective gloves have to satisfy the of EU Directive 89/686/EEC and the standard d from it. |
| Skin | and body protection | concentration the specific wo Remove and v Wear as appro | vash contaminated clothing before re-use. |
| Resp | iratory protection | required. When workers | espiratory protective equipment normally are facing concentrations above the exposure use appropriate certified respirators. |
| Prote | ective measures | over the use o When selectin | hnical measures should always have priority f personal protective equipment. g personal protective equipment, seek ofessional advice. |

SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties Appearance

| ••• | | : | pellets |
|-----|-------------------------------|---|--|
| | Colour Odour | : | pink to light red odourless |
| | Odour Threshold | : | No data available |
| | рН | : | No data available |
| | Melting point/range | : | No data available |
| | Boiling point/boiling range | : | No data available |
| | Flash point | : | No data available |
| | Evaporation rate | : | No data available |
| | Flammability (solid, gas) | : | May form combustible dust concentrations in air. |
| | Upper explosion limit / Upper | : | No data available |



| Versior 1.0 | n Revision Date: 09.01.2018 | | S Number: 51253288 | This version replaces all previous versions. |
|----------------|--|---|-------------------------------------|--|
| fla | ammability limit | | | |
| | ower explosion limit / Lower ammability limit | : | No data availabl | e |
| V | apour pressure | : | No doto ovoilab | |
| R | elative vapour density | : | No data availat No data availabl | |
| D | ensity | : | 1 g/cm3 | |
| В | ulk density | : | 0.6 - 0.7 kg/dm3 | |
| So | olubility(ies) Solubility in other solvents | : | not soluble Solvent: in water | |
| | artition coefficient: n- tanol/water | : | No data available | |
| Αι | uto-ignition temperature | : | No data available | 9 |
| De | ecomposition temperature | : | No data available |) |
| | scosity | | | |
| VISCOSI | ty, dynamic | : | No data available | 9 |
| Ex | plosive properties | : | Not explosive | |
| O | kidizing properties | : | The substance o | r mixture is not classified as oxidizing. |
| | ner information | : | 300 - 1,000 mJ | |

SECTION 10: Stability and reactivity

10.1 Reactivity

None reasonably foreseeable.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions

: No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid

: No decomposition if used as directed.



| Version 1.0 | Revision Date: 09.01.2018 | SDS Number: This version replaces all previous versions S161253288 |
|----------------------------------|--------------------------------------|--|
| 10.5 Incor Materials t | npatible materials o avoid | : None known. |
| 10.6 Haza | rdous decompositio | products |
| | rdous decomposition | - |
| SECTION | I 11: Toxicological | nformation |
| | mation on toxicologi | |
| Information | n on likely routes of ex | ingestion Inhalation Skin contact Eye contact |
| Acute | e toxicity | |
| 4-hydroxy | | henylyl)-1,2,3,4-tetrahydro-1-naphthyl)coumarin: |
| Acute oral | loxicity | : LD50 (Rat, female): 0.561 mg/kg |
| | | LD50 (Rat, male): 0.418 mg/kg |
| Acute | inhalation toxicity | : LC50 (Rat, female): 0.00305 mg/l Exposure time: 4 h Test atmosphere: dust/mist |
| | | LC50 (Rat, male): 0.00486 mg/l Exposure time: 4 h Test atmosphere: dust/mist |
| Acute | e dermal toxicity | : LD50 (Rat, male): 5.21 mg/kg |
| | | LD50 (Rat, female): 3.16 mg/kg |
| Skin | corrosion/irritation | |
| 4-hydroxy Species: R | | henylyl)-1,2,3,4-tetrahydro-1-naphthyl)coumarin: |
| | | |

4-hydroxy-3-(3-(4'-bromo-4-biphenylyl)-1,2,3,4-tetrahydro-1-naphthyl)coumarin: Species: Rabbit Result: No eye irritation



Version Revision Date: 1.0 09.01.2018 SDS Number: S161253288 This version replaces all previous versions.

Respiratory or skin sensitisation

Components:

4-hydroxy-3-(3-(4'-bromo-4-biphenylyl)-1,2,3,4-tetrahydro-1-naphthyl)coumarin: Test Type: Buehler Test Species: Guinea pig Result: The product is a skin sensitiser, sub-category 1B.

Germ cell mutagenicity

Components:

4-hydroxy-3-(3-(4'-bromo-4-biphenylyl)-1,2,3,4-tetrahydro-1-naphthyl)coumarin:

Germ cell mutagenicity- : Animal testing did not show any mutagenic effects. Assessment

Carcinogenicity

Components:

4-hydroxy-3-(3-(4'-bromo-4-biphenylyl)-1,2,3,4-tetrahydro-1-naphthyl)coumarin: Carcinogenicity - : No evidence of carcinogenicity in animal studies. Assessment

Reproductive toxicity

Components:

4-hydroxy-3-(3-(4'-bromo-4-biphenylyl)-1,2,3,4-tetrahydro-1-naphthyl)coumarin:
 Reproductive toxicity - : Some evidence of adverse effects on development, based on animal experiments.

STOT - repeated exposure

Components:

4-hydroxy-3-(3-(4'-bromo-4-biphenylyl)-1,2,3,4-tetrahydro-1-naphthyl)coumarin:

Target Organs: Blood

Assessment: The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

Further information

Components:

4-hydroxy-3-(3-(4'-bromo-4-biphenylyl)-1,2,3,4-tetrahydro-1-naphthyl)coumarin: Remarks: Excessive exposure slows blood clotting time and can cause bleeding, shock and death.

SECTION 12: Ecological information



| Version | Revision Date: | SDS Number: | This version replaces all previous versions. |
|---------|----------------|-------------|--|
| 1.0 | 09.01.2018 | S161253288 | |

12.1 Toxicity

~

| <u>Components:</u> | | | | | | |
|--|-----|---|--|--|--|--|
| 4-hydroxy-3-(3-(4'-bromo-4-biphe Toxicity to fish | eny | ylyl)-1,2,3,4-tetrahydro-1-naphthyl)coumarin: | | | | |
| | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 0.04 mg/l Exposure time: 96 h | | | | |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 0.45 mg/l Exposure time: 48 h | | | | |
| Toxicity to algae | : | ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.27 mg/l Exposure time: 72 h | | | | |
| | | NOEC (Pseudokirchneriella subcapitata (green algae)): 0.01 mg/l End point: Growth rate Exposure time: 72 h | | | | |
| M-Factor (Acute aquatic toxicity) | : | 10 | | | | |
| Toxicity to microorganisms | : | EC50 (activated sludge): > 100 mg/l Exposure time: 30 min | | | | |

| M-Factor (Chronic aquatic toxicity) | : | 10 | |
|-------------------------------------|---|----|--|
| | | | |

12.2 Persistence and degradability

Components:

4-hydroxy-3-(3-(4'-bromo-4-biphenylyl)-1,2,3,4-tetrahydro-1-naphthyl)coumarin: Biodegradability : Result: Not rapidly biodegradable

| Stability in water | : Degradation half life: ca. 300 d Remarks: Persistent in water. |
|--------------------|---|

12.3 Bioaccumulative potential

Components:

| 4-hydroxy-3-(3-(4'-bromo-4-biphenyl | yl)-1,2, | ,3,4 | -tetrahyd | dro-1-naphthyl)coumarin: |
|-------------------------------------|----------|------|-----------|--------------------------|
| Bioaccumulation | _ | _ | | |

: Remarks: bioaccumulative

12.4 Mobility in soil

Components:

4-hydroxy-3-(3-(4'-bromo-4-biphenylyl)-1,2,3,4-tetrahydro-1-naphthyl)coumarin:

: Remarks: Low mobility in soil. Distribution among environmental compartments



| | NPELLETS | | | <u>-</u> |
|----------------------------------|------------------------------|-------------------------|--|--|
| Version 1.0 | Revision Date: 09.01.2018 | | Number: 253288 | This version replaces all previous versions |
| Stabilit | ty in soil | Р | | e: 157 d sipation: 50 % (DT50) luct is not persistent. |
| 12.5 Resul | ts of PBT and vPvB | assessi | ment | |
| <u>Product:</u> Assessmen | ht . | | | |
| | | to V | be either per | e/mixture contains no components considered rsistent, bioaccumulative and toxic (PBT), or and very bioaccumulative (vPvB) at levels of |
| | | | | ahydro-1-naphthyl)coumarin: |
| | | : P | BT substance | 2. |
| 12.6 Other No data ava | adverse effects ailable | | | |
| SECTION | 13: Disposal cons | iderati | ons | |
| 13.1 Waste | e treatment methods | | | |
| Produc | ct | c D V ir If | hemical or use to not dispose Where possible ncineration. | e of waste into sewer. e recycling is preferred to disposal or ot practicable, dispose of in compliance with |
| Contar | minated packaging | T E h | andling site fo | |
| Waste | Code | 1 | ncleaned pac 50110, packa angerous sub | ging containing residues of or contaminated by |

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good **14.2 UN proper shipping name** Not regulated as a dangerous good **14.3 Transport hazard class(es)** Not regulated as a dangerous good **14.4 Packing group**



| Version | Revision Date: |
|---------|----------------|
| 1.0 | 09.01.2018 |

SDS Number: S161253288

This version replaces all previous versions.

Not regulated as a dangerous good **14.5 Environmental hazards**

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks

Not classified as dangerous in the meaning of transport regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals

| REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). | : Not applicable : Not applicable |
|---|--------------------------------------|
| Regulation (EC) No 1005/2009 on substances that deplete the ozone layer | : Not applicable |
| Regulation (EC) No 850/2004 on persistent organic pollutants | : Not applicable |

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

Not applica

Other regulations:

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

| SECTION 16: Other information |
|--------------------------------------|
| Full text of H-Statements |

| H300 | : | Fatal if swallowed. |
|-------|---|---|
| H310 | : | Fatal in contact with skin. |
| H317 | : | May cause an allergic skin reaction. |
| H330 | : | Fatal if inhaled. |
| H360D | : | May damage the unborn child. |
| H372 | : | Causes damage to organs through prolonged or repeated |
| | | |



| Version 1.0 | Revision Date: 09.01.2018 | SDS Number: S161253288 | This version replaces all previous versions. |
|--|--|---|---|
| H400 H410 | | exposure. : Very toxic to a : Very toxic to a | quatic life. quatic life with long lasting effects. |
| Full t | ext of other abbrevia | ations | |
| Aqua Aqua Repr. Skin STO GB E GB E | Sens. Γ RE | : UK. EH40 WEI : Long-term exp | c toxicity oxicity |
| Wate Good for th Regu Toxic List o numb x% ro (Japa Harm on C Cons inhibi Existi Interr Interr - Let | rways; ADR - Europ Is by Road; AICS - Au ne Testing of Mater Ilation; Regulation (E cant; DIN - Standard o (Canada); ECHA - 1 ber; ECx - Concentrat esponse; EmS - Emo an); ErCx - Concentrat onized System; GLP cancer; IATA - Intern truction and Equipme tory concentration; IC ing Chemical Substar national Maritime Org national Organisation hal Concentration to | ean Agreement conce ustralian Inventory of O ials; bw - Body weig EC) No 1272/2008; O f the German Institute European Chemicals ion associated with x ergency Schedule; EN ration associated with - Good Laboratory Pra- lational Air Transport nt of Ships carrying Da CAO - International Ci- nces in China; IMDG - ganization; ISHL - Inc for Standardization; KI 50 % of a test popular | national Carriage of Dangerous Goods by Inland erning the International Carriage of Dangerou Chemical Substances; ASTM - American Societ ght; CLP - Classification Labelling Packaging CMR - Carcinogen, Mutagen or Reproductive for Standardisation; DSL - Domestic Substance Agency; EC-Number - European Communit & response; ELx - Loading rate associated with ICS - Existing and New Chemical Substance n x% growth rate response; GHS - Globall actice; IARC - International Agency for Research Association; IBC - International Code for the angerous Chemicals in Bulk; IC50 - Half maxima vil Aviation Organization; IECSC - Inventory of International Maritime Dangerous Goods; IMO ustrial Safety and Health Law (Japan); ISO ECI - Korea Existing Chemicals Inventory; LC50 Jalation; LD50 - Lethal Dose to 50% of a test International Convention for the Prevention of |

Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very

Further information

Bioaccumulative

| Classification of the | mixture: | Classification procedure: |
|-----------------------|----------|---------------------------|
| Repr. 1A | H360D | Calculation method |
| STOT RE 2 | H373 | Calculation method |



| Version | Revision Date: |
|---------|----------------|
| 1.0 | 09.01.2018 |

SDS Number: S161253288 This version replaces all previous versions.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN