

Page: 1 Compilation date: 17/10/2017 Revision date: 10/06/2020

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: ROMAX RAT CP

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: To be used only by professional users holding certification demonstrating compliance with UK rodenticide stewardship regime requirements. Authorisation Number: UK 2016-0953-001

1.3. Details of the supplier of the safety data sheet

Company name:	J.V. Barrett & Co Ltd	
	Barrettine Environmental Health Ltd	
	St Ivel Way	
	Warmley	
	Bristol	
	BS30 8TY	
	United Kingdom	
Tel:	+44 (0) 1179 672222	
Fax:	+44 (0) 1179 614122	
Email:	beh@barrettine.co.uk	
manay talanhana ny mbar		

1.4. Emergency telephone number

Emergency tel: +44 (0) 1179 672222 (Office hours only 8am - 5pm Mon- Thurs. 8 am - 4.30 pm Fri.) +44 (0) 1270 502891 (Out of hours emergency number)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Acute Tox. 4: H302; Repr. 1B: H360D; Aquatic Chronic 3: H412; -: EUH401 Most important adverse effects: Harmful if swallowed. May damage the unborn child. Harmful to aquatic life with long lasting effects. To avoid risks to human health and the environment, comply with the instructions for use.

Page: 2

2.2. Label elements

Label elements:	
Hazard statements:	H302: Harmful if swallowed.
	H360D: May damage the unborn child.
	H412: Harmful to aquatic life with long lasting effects.
	EUH401: To avoid risks to human health and the environment, comply with the
	instructions for use.
Hazard pictograms:	GHS07: Exclamation mark
	GHS08: Health hazard
Signal words:	Danger
Precautionary statements:	P201: Obtain special instructions before use.
	P280: Wear protective gloves/protective clothing/eye protection/face protection.
	P308+P311: IF exposed or concerned: Call a POISON CENTER or doctor.
	P501: Dispose of contents/container to a licensed hazardous-waste disposal
	contractor or collection site except for empty clean containers which can be
	disposed of as non-hazardous waste.
2.3. Other hazards	
Other hazards:	Because of antivitamin K properties of the active ingedient, absorption can inhibit
	blood coagulation and cause haemorrhagic syndrome.
PBT:	This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

SUCROSE - REACH registered number(s): EXEMPT FROM ANNEX IV

EINECS	CAS	PBT / WEL	CLP Classification	Percent
200-334-9	57-50-1	Substance with a Community	-	1-10%
		workplace exposure limit.		

COUMATETRALYL

227-424-0	5836-29-3	-	Repr. 1B: H360D; Acute Tox. 2:	<0.3%
			H330; Acute Tox. 3: H311; Acute	
			Tox. 2: H300; STOT RE 1: H372;	
			Aquatic Chronic 1: H410	

Contains: Coumateralyl 0.0375 % w/w.

SAFETY DATA SHEET

Section 4: First aid measures

Skin contact:	Wash immediately with plenty of soap and water. If available polyethyleneglycol	
	400, subsequently rinse with water. Consult a doctor.	
Eye contact:	Bathe the eye with running water for 15 minutes. Remove contact lenses, if	
	present, after the first 5 minutes, then continue rinsing eye. Get medical attention	
	promptly if symptoms occur after washing.	
Ingestion:	Wash out mouth with water. Do not induce vomiting. Transfer to hospital as soon as	
	possible.	
Inhalation:	Remove casualty from exposure ensuring one's own safety whilst doing so. Consult	
	a doctor.	
4.2. Most important sympto	oms and effects, both acute and delayed	
Skin contact:	There may be mild irritation at the site of contact.	
Eye contact:	There may be irritation and redness.	
Ingestion:	* There may be soreness and redness of the mouth and throat. There may be	
	difficulty swallowing. Nausea and stomach pain may occur. There may be	
	vomiting. There may be internal and external bleeding. If large amounts are	
	ingested, the foolowing symptoms may ocur: Internal and external bleeding and	
	shock possible.	
Inhalation:	Absorption through the lungs can occur causing symptoms similar to those of	
	ingestion.	
Delayed / immediate effects:	Immediate effects can be expected after short-term exposure.	
4.3. Indication of any imme	diate medical attention and special treatment needed	
mediate / special treatment:	Because of antivitamin K properties of the active ingedient, absorption can inhibit	
	blood coagulation and cause haemorrhagic syndrome. Antidote Vitamin K1	
	administered by medical/vetinary professionals only. Cases of severe poisoning	
	may require the usual measures like application of blood products or transfusions.	
	Necessity and efficacy have to be assessed by INR. In case of ingestion gastric	
	lavage should be considered in case of significant ingestions only within the first 2	
	hours. However, the application of activated charcoal and sodium sulphate is	
	always advisable. Montor: blood picture.	

5.1. Extinguishing media

Extinguishing media: Water spray. Alcohol resistant foam. Dry chemical powder. Carbon dioxide. Do not use water jet

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes. Contain the spread of the firefighting media. Do not allow run-off from firefighting to enter drains or water courses. Section 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures Personal precautions: Refer to section 8 of SDS for personal protection details. Do not create dust. Mark out the contaminated area with signs and prevent access to unauthorised personnel. If outside do not approach from downwind. 6.2. Environmental precautions Environmental precautions: Contain the spillage using bunding. Do not discharge into drains or rivers. If spillage enters drains leading to sewage works inform local water company immediately. If spillage enters rivers or watercourses inform the Environment Agency. 6.3. Methods and material for containment and cleaning up **Clean-up procedures:** Transfer to a closable, labelled salvage container for disposal by an appropriate method. Clean contaminated floors and objects thoroughly, observing environmental regulations. 6.4. Reference to other sections Reference to other sections: Refer to section 8 of SDS. Section 7: Handling and storage 7.1. Precautions for safe handling Handling requirements: Ensure there is sufficient ventilation of the area. Avoid the formation or spread of dust in the air. Avoid direct contact with the substance. 7.2. Conditions for safe storage, including any incompatibilities Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed. Keep away from direct sunlight. Do not store at a temperature above 40 oC. Keep away from food, drink and animal feeding stuffs.

7.3. Specific end use(s)

Specific end use(s): Refer to the label and/or leaflet.

Page: 5

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

COUMATETRALYL

Workplace exposure limits:

Workplace	Vorkplace exposure limits:		Respirable dust	
State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	0.01 mg/m3	-	-	-

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures:	Ensure there is sufficient ventilation of the area.			
Respiratory protection:	f ventilation is insufficient suitable respiratory protection must be provided.			
	Respiratory protective device with particle filter.			
Hand protection:	Impermeable protective gloves confoming to EN 374. Nitrile gloves.			
Eye protection:	Safety goggles (conforming to EN166, Field of Use = 5 or equivalent).			
Skin protection:	Impermeable protective clothing.			

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State:	Paste		
Colour:	Blue		
Odour:	Weak, characteristic.		
Evaporation rate:	No data available.		
Oxidising:	Non-oxidising (by EC criteria)		
Solubility in water:	Not dispersible.		
Viscosity:	No data available.		
Boiling point/range°C:	No data available.	Melting point/range°C:	>200
Flammability limits %: lower:	Not applicable.	upper:	Not applicable.
Flash point°C:	No data available.	Part.coeff. n-octanol/water:	No data available.
Autoflammability°C:	ca. 207	Vapour pressure:	No data available.
Relative density:	ca. 1.19 g/cm3	pH:	No data available.
VOC g/l:	No data available.		

9.2. Other information

Other information: No data available.

SAFETY DATA SHEET

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions. Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Direct sunlight. Extreme temperature.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Toxicity values:

Route	Species	Test	Value	Units
DERMAL	RAT	LD50	>4000	mg/kg
ORAL	RAT	LD50	1000	mg/kg

Hazardous ingredients:

SUCROSE

ORAL	RAT	LD50	29700	mg/kg

COUMATETRALYL

ORL	RAT	LD50	30	mg/kg
SKN	RAT	LD50	40	mg/kg

Relevant hazards for product:

Hazard	Route	Basis
Acute toxicity (ac. tox. 4)	ING	Hazardous: calculated

SAFETY DATA SHEET

ROMAX RAT CP

		Page: 7
Reproductive toxicity	 Hazardous: calculated	
Symptoms / routos of oxnosuro		
Symptoms / routes of exposure		

Skin contact: There may be mild irritation at the site of contact. Eye contact: There may be irritation and redness. Ingestion: * There may be soreness and redness of the mouth and throat. There may be difficulty swallowing. Nausea and stomach pain may occur. There may be vomiting. There may be internal and external bleeding. If large amounts are

> ingested, the foolowing symptoms may ocur: Internal and external bleeding and shock possible.

Inhalation: Absorption through the lungs can occur causing symptoms similar to those of ingestion.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values:

Species	Test	Value	Units
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	53	mg/l
Daphnia magna	48H EC50	>14	mg/l
GREEN ALGAE (Desmodesmus Subspicatus)	96H IC50	>18	mg/l

12.2. Persistence and degradability

Persistence and degradability: Not readily biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Moderately mobile in soils.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: No data available.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

Page: 8

Waste code number: 06 13 01

Disposal of packaging: May be reused following decontamination.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information

Other information:	This safety data sheet is prepared in accordance with Commission Regulation
	(EU) No 2015/830.
	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and s.3:	EUH401: To avoid risks to human health and the environment, comply with the
	instructions for use.
	H300: Fatal if swallowed.
	H302: Harmful if swallowed.
	H311: Toxic in contact with skin.
	H330: Fatal if inhaled.
	H360D: May damage the unborn child.
	H372: Causes damage to organs through prolonged or repeated exposure.
	H410: Very toxic to aquatic life with long lasting effects.
	H412: Harmful to aquatic life with long lasting effects.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all
	inclusive and shall be used only as a guide. This company shall not be held liable
	for any damage resulting from handling or from contact with the above product.