

KNOCK OUT RAT & MOUSE KILLER PASTA

Page: 1

Compilation date: 18/04/2018

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: KNOCK OUT RAT & MOUSE KILLER PASTA

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Ready to use rodenticide (biocidal product - PT14). Consumer Use.

1.3. Details of the supplier of the safety data sheet

Company name:	J.V. Barrett & Co Ltd	
	Barrettine Environmental Health Ltd	
	St Ivel Way	
	Warmley	
	Bristol	
	BS30 8TY	
	United Kingdom	
Tel:	+44 (0) 1179 672222	
Fax:	+44 (0) 1179 614122	
Email:	beh@barrettine.co.uk	

1.4. Emergency telephone number

Emergency tel: +44 (0) 1179 672222 (Office hours only 8am - 5pm Mon- Thurs. 8 am - 4.30 pm Fri.) +44 (0) 1270 502891 (Out of hours emergency number)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: STOT RE 2: H373

Most important adverse effects: May cause damage to organs [blood] through prolonged or repeated exposure.

2.2. Label elements

Label elements:	
Hazard statements:	H373: May cause damage to organs [blood] through prolonged or repeated
	exposure.
Hazard pictograms:	GHS08: Health hazard
	^



SAFETY DATA SHEET

KNOCK OUT RAT & MOUSE KILLER PASTA

Page: 2

Signal words:	Warning			
Precautionary statements:	P101: If medical advice is needed, have product container or label at hand.			
	P102: Keep out of reach of children.			
	P103: Read label before use.			
	P270: Do not eat, drink or smoke when using this product.			
	P280: Wear protective gloves.			
	P301+310: IF SWALLOWED: Immediately call a POISON CENTER or			
	doctor/physician.			
	P401: Store away from food, drink and animal feedstuffs.			
	P405: Store locked up.			
2.2. Other becards				

2.3. Other hazards

PBT: This substance is identified as a PBT substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

FLOURS DUST

EINECS	CAS	PBT / WEL	CLP Classification	Percent
-	-	Substance with a Community workplace exposure limit.	-	30-50%

STARCH - REACH registered number(s): ANNEX IV EXEMPT

232-679-6	9005-25-8	Substance with a Community	-	10-30%
		workplace exposure limit.		

SUCROSE - REACH registered number(s): EXEMPT FROM ANNEX IV

200-334-9	57-50-1	Substance with a Community	-	1-10%
		workplace exposure limit.		

3-(3-BIPHENYL-4-YL-1,2,3,4-TETRAHYDRO-1-NAPHTHYL)-4-HYDROXYCOUMARIN

259-978-4	56073-07-5	-	Acute Tox. 2: H300; STOT RE 1:	<0.1%
			H372; Aquatic Chronic 1: H410;	
			Aquatic Acute 1: H400	

Non-classified ingredients:

2,6-DI-TERT-BUTYL-P-CRESOL - REACH registered number(s): 01-2119480433-40-XXX

EINECS	CAS	PBT / WEL	CLP Classification	Percent
204-881-4	128-37-0	-	Aquatic Acute 1: H400; Aquatic Chronic 1: H410	<0.1%

Page: 3

200-001-8 5	50-00-0	-	Carc. 1B: H350; Muta. 2: H341; <0.1% Acute Tox. 3: H301; Acute Tox. 3: H311; Acute Tox. 3: H331; Skin Corr. 1B: H314; Skin Sens. 1: H317		
Section 4: First a	id measu	res			
4.1. Description	of first aid	measures			
Skin	contact:	Remove all contaminated	I clothes and footwear immediately unless stuck to skin.		
		Drench the affected skin	with running water for 10 minutes or longer if substance		
		is still on skin. Consult a	doctor.		
Eye	contact:	Bathe the eye with runnir	g water for 15 minutes. Consult a doctor.		
lı	ngestion:	Wash out mouth with wa	ter. Do not induce vomiting. If conscious, give half a litre		
		of water to drink immedia	tely. Seek medical advice immediateley and show the		
		product container or labe	l.		
In	halation:	Remove casualty from ex	posure ensuring one's own safety whilst doing so. Consult		
		a doctor.			
4.2. Most import	ant sympt	oms and effects, both a	cute and delayed		
Skin	contact:	There may be irritation and redness at the site of contact.			
Eye	contact:	There may be irritation an	nd redness. The eyes may water profusely.		
Ir	ngestion:	There may be soreness a	and redness of the mouth and throat. Nausea and		
		stomach pain may occur.	There may be vomiting.		
In	halation:	There may be irritation of	the throat with a feeling of tightness in the chest.		
elayed / immediate	e effects:	Immediate effects can be	expected after short-term exposure.		
4.3. Indication of	any imme	ediate medical attention	and special treatment needed		
nediate / special tr	reatment:	This product containes a	n anticoagulant substance. If ingested, symptoms, which		
		may be delayed, may inc	lude nosebleed and bleeding gums. In severe cases there		
		may be brusing and bloo	d present in the faeces or urine. Antidote Vitamin K1		
		administered by medical/	vetinary professionals only. The advice of the National		
		Poisons Information Serv	rice (<u>http://www.npis.org/)</u> should be contacted for further		
		advice.			
Section 5: Fire-fig	ghting me	easures			
5.1. Extinguishin	ig media				

Extinguishing media: Carbon dioxide. Dry chemical powder. Fight larger fires with water spray.

5.2. Special hazards arising from the substance or mixture

FORMALDEHYDE

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters	
Advice for fire-fighters:	Wear self-contained breathing apparatus. Wear protective clothing to prevent
	contact with skin and eyes. Contain the spread of the firefighting media. Do not
	allow run-off from firefighting to enter drains or water courses.
Section 6: Accidental relea	ase measures
6.1. Personal precautions,	protective equipment and emergency procedures
Personal precautions:	Refer to section 8 of SDS for personal protection details. If outside do not
	approach from downwind. If outside keep bystanders upwind and away from
	danger point. Mark out the contaminated area with signs and prevent access to
	unauthorised personnel. Do not create dust.
6.2. Environmental precau	tions
Environmental precautions:	Do not discharge into drains or rivers. If spillage enters drains leading to sewage
	works inform Environmental Agency. If spillage enters rivers or watercourses infor
	the Environment Agency.
6.3. Methods and material	for containment and cleaning up
Clean-up procedures:	Clean-up should be dealt with only by qualified personnel familiar with the specific
	substance. Transfer to a closable, labelled salvage container for disposal by an
	appropriate method.
6.4. Reference to other sec	
Reference to other sections:	Refer to section 8 of SDS.
Section 7: Handling and s	torage
7.1. Precautions for safe h	andling
Handling requirements:	Avoid direct contact with the substance. Ensure there is sufficient ventilation of the
	area. Do not handle in a confined space. Avoid the formation or spread of dust in
	the air. Do not eat, drink or smoke during use.
7.2. Conditions for safe sto	orage, including any incompatibilities
Storage conditions:	Store in a cool, well ventilated area. Keep container tightly closed. Prevent access
-	of children, birds, pets and farm animals.
Suitable packaging:	Must only be kept in original packaging.
7.3. Specific end use(s)	
Specific end use(s):	PC8: Biocidal products (e.g. Disinfectants, pest control).

8.1. Control parameters

Page: 5

Hazardous ingredients:

FLOURS DUST

Workplace expo	sure limits:		R	espirable dust			
State	8 hour TWA	15 min	. STEL	8 hour TWA	15 min. STEL		
UK		-	-	30mg/m3	10 mg/m3		
STARCH							
UK			-	4 mg/m3	-		
SUCROSE							
UK 10 mg/m3 20 mg/m3			20 mg/m3	-	-		
DNEL/PNEC Value	25	• I					
		data available.					
8.2. Exposure cor							
		sure there is suffic	ient ventilation	of the grag			
Engineering measures: Ensure there is sufficient ventil Respiratory protection: Self-contained breathing appare					of emergency		
		tection: Self-contained breathing apparatus must be available in case of emergency. Respiratory protective device with particle filter.					
Hand protection: Protective gloves.							
Eye protection: Not generally required under nor				al use conditions.			
		tective clothing.					
-		U U	g in public sew	ers or the immediate envir	onment.		
ection 9: Physica	I and chem	nical properties	- ·				
9.1. Information o	n basic phys	sical and chemica	al properties				
	State: So	lid					
	Colour: Lig	ht Red					
	Odour: Ch	aracteristic odour					
Evaporati	on rate: No	data available.					
		data available.					
Solubility i	n water: Ins	oluble					
Vi	scosity: No	data available.					
Boiling point/r	ange°C: No	data available.		Melting point/range°C:	No data available.		
mmability limits %	: lower: No	data available.		upper:	No data available.		
Flash	ooint°C: No	t applicable.	Pa	rt.coeff. n-octanol/water:	No data available.		
Autoflamma	bility°C: No	t applicable.		Vapour pressure:	No data available.		
Relative	density: 1.8	82 g/mL		pH:	No data available.		
		data available.					

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

10.4. Conditions to avoid

Conditions to avoid: Under standard handling and storing conditions, the product does not show any dangerous reaction.

10.5. Incompatible materials

Materials to avoid: Given the lack of information about possible incompatibilities with other substances, it is recommended not to use it in combination with other products.

10.6. Hazardous decomposition products

Haz. decomp. products: Does not decompose when used and stored as recommended.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

SUCROSE

ORAL	RAT	LD50	29700	mg/kg

3-(3-BIPHENYL-4-YL-1,2,3,4-TETRAHYDRO-1-NAPHTHYL)-4-HYDROXYCOUMARIN

ORL	MUS	LD50	800	µg/kg
ORL	RAT	LD50	680	µg/kg
SKN	RAT	LD50	>50	mg/kg

2,6-DI-TERT-BUTYL-P-CRESOL

DERMAL	RAT	LD50	>2000	mg/kg
DUST/MIST	MUS	RD50	59.7	ppmV
ORAL	RAT	LD50	>2930	mg/kg

FORMALDEHYDE...100%

	MUS	LD50	42	mg/kg
--	-----	------	----	-------

SAFETY DATA SHEET

KNOCK OUT RAT & MOUSE KILLER PASTA

Page:	7
uge.	

ORL	RAT	LD50	100	mg/kg
SCU	RAT	LD50	420	mg/kg

Relevant hazards for product:

Hazard	Route	Basis
STOT-repeated exposure	-	Hazardous: calculated

Symptoms / routes of exposure

Skin contact:	There may be irritation and redness at the site of contact.
Eye contact:	There may be irritation and redness. The eyes may water profusely.
Ingestion:	There may be soreness and redness of the mouth and throat. Nausea and
	stomach pain may occur. There may be vomiting.
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest.
Delayed / immediate effects:	Immediate effects can be expected after short-term exposure.
Other information:	This product contains an anticoagulant compound. If large quantities are ingested,
	nosebleed and bleeding gums may occur. In severe cases there may be bruising,
	haematomas of the joints and blood present in faeces and urine.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

3-(3-BIPHENYL-4-YL-1,2,3,4-TETRAHYDRO-1-NAPHTHYL)-4-HYDROXYCOUMARIN

Daphnia magna	48H EC50	0.52	mg/l
GREEN ALGA (Selenastrum capricornutum)	72H ErC50	0.51	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	0.064	mg/l

2,6-DI-TERT-BUTYL-P-CRESOL

Daphnia magna	48H EC50	0.61	mg/l
Scenedesmus Subspicatus	72H IC50	0.4	mg/l

12.2. Persistence and degradability

Persistence and degradability: Not readily biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: Bioaccumulation potential.

12.4. Mobility in soil

Mobility: Insoluble in water.

12.5. Results of PBT and vPvB assessment

Persistence (P-):

Page: 8

Half-life in marine water: >60 Half-life in fresh or estuarine water: 40-60 Half-life in soil: >180 Persistence result: vP-**Bioaccumulation (B-):** Bioconcentration factor (BCF): 2000-5000 Bioaccumulation result: B-Toxicity (T-): mg/l NOEC for marine or freshwater organisms: <0.1 Toxicity result: ⊤ **PBT identification:** This substance is identified as a PBT substance. 12.6. Other adverse effects Other adverse effects: Toxic to aquatic organisms. Toxic to soil organisms. Toxic to mammals, including domesticated animals and birds if ingested. Exposure of non-target animals should be prevented. Section 13: Disposal considerations 13.1. Waste treatment methods Disposal operations: Must not be disposed together with household waste. Do not allow product to reach sewage system. Remove all baits after treatment and dispose of them in accordance with local requirements. **Recovery operations:** For information on disposal contact the Environmental Agency (http://www.environmental-agency.gov.uk) or SEPA (http://sepa.org.uk). **Disposal of packaging:** Dispose of uncleaned packaging in accordance with local requirements. **NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal. Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Regulation (EC) No 1907/2006 Annex XVII conditions of restriction : 30 Authorisation No. UK-2013-0722.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information	
Other information:	This safety data sheet is prepared in accordance with Commission Regulation
	(EU) No 2015/830.
	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and s.3:	H300: Fatal if swallowed.
	H301: Toxic if swallowed.
	H311: Toxic in contact with skin.
	H314: Causes severe skin burns and eye damage.
	H317: May cause an allergic skin reaction.
	H331: Toxic if inhaled.
	H341: Suspected of causing genetic defects <state exposure="" if="" is<="" it="" of="" route="" th=""></state>
	conclusively proven that no other routes of exposure cause the hazard>.
	H350: May cause cancer <state conclusively="" exposure="" if="" is="" it="" of="" proven="" route="" th="" that<=""></state>
	no other routes of exposure cause the hazard>.
	H372: Causes damage to organs <or affected,="" all="" if="" known="" organs="" state=""> through</or>
	prolonged or repeated exposure <state conclusively<="" exposure="" if="" is="" it="" of="" route="" th=""></state>
	proven that no other routes of exposure cause the hazard>.
	H373: May cause damage to organs <or affected,="" all="" if="" known="" organs="" state=""></or>
	through prolonged or repeated exposure <state exposure="" if="" is<="" it="" of="" route="" th=""></state>
	conclusively proven that no other routes of exposure cause the hazard>.
	H400: Very toxic to aquatic life.
	H410: Very toxic to aquatic life with long lasting effects.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all
	inclusive and shall be used only as a guide. This company shall not be held liable
	for any damage resulting from handling or from contact with the above product.

Page: 9