

# DEADLINE®

## ALPHA-EXPRESS BAIT BLOCKS

RODENTICIDE FOR PROFESSIONAL USE IN BAIT STATIONS TO CONTROL HOUSE MICE 4x (12x5g) blocks €  
(*Mus musculus*) FOR HEALTH AND MATERIAL PROTECTION INDOORS.

Use biocides safely and sustainably. It is illegal to use this product for use or in a manner other than that prescribed on this label.

### DIRECTIONS FOR USE: For use only in the control of mice indoors. For professional use only as a rodenticide.

As this product is an acute rodenticide and a single feed is normally sufficient to achieve early control, baits should ideally be laid to treat infestations for periods of only 7-10 days. Refillable tamper-resistant bait stations are authorised for indoor use against mice. Start by obtaining the appropriate number of suitable tamper resistant bait stations required to treat the area. Load each bait station with one or two 5g blocks up to a maximum bait point size of 10g. Bait stations are manually placed in the rodent-infested area in covered and protected positions at distances of no more than 3 metres apart. Ideally bait boxes should be fixed to the ground. After treatment, if further rodent control is necessary a rodenticide with a different mode of action should be employed in order to alternate treatment regimes.

The resistance status of the rodent population to alphachloralose should be taken into account when considering the choice of rodenticide to be used. Where resistance to alphachloralose has been shown or is suspected, resistant management strategies should be employed.

#### SUMMARY OF CONDITIONS APPLIED TO THE USE OF THIS PRODUCT:

For professional use only as a rodenticide. For use only in tamper-resistant bait boxes. Use only indoors. The product is authorised against mice only. Prevent access to bait by children, birds and non-target animals (particularly dogs, cats, pigs and poultry). Baits must be securely deposited in a way so as to minimise the risk of consumption by other animals or children. Where possible, secure baits so that they cannot be dragged away. Bait should be laid for periods of at most 7 – 10 days. To avoid risks to human health and the environment comply with the instructions for use.

**DISPOSAL:** Dispose of contents/container in accordance with local regulations. Dispose of dead rodents in accordance with local requirements. (In the UK poisoned rodents may be disposed of by the waste producer at an incinerator or landfill permitted to accept that type of waste, or collected by a registered waste carrier and taken for disposal at a suitable permitted site. Search for and remove dead rodents at frequent intervals during treatment, at least as often as when baits are checked and / or replenished. Due to the action of this rodenticide, this may need to be as often as every few hours. Remove all baits after treatment and dispose of them in accordance with local requirements. For information on disposal in the UK contact the Environment Agency (<http://www.environment-agency.gov.uk>) or SEPA (<http://www.sepa.org.uk>).

**STORAGE:** The shelf-life of this product in its original container is two years under normal conditions of storage which should ideally be in a cool dry place, protected from food and secured away from food stuffs and inaccessible to pets and children. Follow all safety requirements during storage period.

**Active Ingredient:** ALPHACHLORALOSE 4% w/w, (40g/kg).

AUTHORISATION HOLDER: Phylsys SARL, Paris, CEDEX 15, France.

Rentokil Deadline Alpha Express Bait Blocks contain a 4% w/w mixture of alpha and beta isomers of the active substance Alphachloralose. IUPAC: (R) -1,2-O-(2,2,2-Trichloroethylidene)- $\alpha$ -D-glucofuranose, CAS; 158799-93-3.

**NOTE TO DOCTOR:** In the event of accidental consumption the patient should be kept quiet and warm and a doctor called. Airways should be kept clear. Avoid sedatives. For further information, contact your local National Poisons Information Centre.

**FIRST AID MEASURES:** Ingestion of excessive concentrations of this product may cause nervous system depression, headache and weakness leading to unconsciousness. No antidote. Treat symptomatically. However, the ingestion of large quantities of product is extremely unlikely due to the presence of the bittering agent Bitrex®. In case of accident or if you feel unwell, seek medical advice immediately and show the label where possible.

Warning: Very toxic to aquatic life with long lasting effects. Keep out of reach of children. Do not eat drink or smoke when using this product. Avoid release to the environment. Collect spillage. Get medical advice / attention if you feel unwell. If medical advice is needed, have product container or label at hand.

**AUTHORISATION NUMBER: UK-2013-0803; IE/BPA 70113**

Contents: 4 x (12x5g) blocks €  
Batch No./Exp. Date: See pack

**Manufactured by:**  
**Rentokil Initial Supplies**  
Liverpool, L33 7SR, UK.  
Enquiries: 0151 548 5050  
[products@rentokil.com](mailto:products@rentokil.com)  
[www.rentokilproducts.com](http://www.rentokilproducts.com)  
Emergency line: 01342 833022

CLP1 5-058 CLD42



The bitter taste of Bitrex® helps to prevent accidental ingestion of this product.



Deadline is a registered trademark of Rentokil Initial plc.



# DEADLINE®

## ALPHA-EXPRESS BAIT BLOCKS

RODENTICIDE FOR PROFESSIONAL USE IN BAIT STATIONS TO CONTROL HOUSE MICE  
(*Mus musculus*) FOR HEALTH AND MATERIAL PROTECTION INDOORS.

12x5g  
blocks e

Use biocides safely and sustainably. It is illegal to use this product for use or in a manner other than that prescribed on this label.

### DIRECTIONS FOR USE: For use only in the control of mice indoors. For professional use only as a rodenticide.

As this product is an acute rodenticide and a single feed is normally sufficient to achieve early control, baits should ideally be laid to treat infestations for periods of only 7-10 days. Refillable tamper-resistant bait stations are authorised for indoor use against mice. Start by obtaining the appropriate number of suitable tamper resistant bait stations required to treat the area. Load each bait station with one or two 5g blocks up to a maximum bait point size of 10g. Bait stations are manually placed in the rodent-infested area in covered and protected positions at distances of no more than 3 metres apart. Ideally bait boxes should be fixed to the ground. After treatment, if further rodent control is necessary a rodenticide with a different mode of action should be employed in order to alternate treatment regimes.

The resistance status of the rodent population to alphachloralose should be taken into account when considering the choice of rodenticide to be used. Where resistance to alphachloralose has been shown or is suspected, resistant management strategies should be employed.

#### SUMMARY OF CONDITIONS APPLIED TO THE USE OF THIS PRODUCT:

For professional use only as a rodenticide. For use only in tamper-resistant bait boxes. Use only indoors. The product is authorised against mice only. Prevent access to bait by children, birds and non-target animals (particularly dogs, cats, pigs and poultry). Baits must be securely deposited in a way so as to minimise the risk of consumption by other animals or children. Where possible, secure baits so that they cannot be dragged away. Bait should be laid for periods of at most 7 – 10 days. To avoid risks to human health and the environment comply with the instructions for use.

**DISPOSAL:** Dispose of contents/container in accordance with local regulations. Dispose of dead rodents in accordance with local requirements. (In the UK poisoned rodents may be disposed of by the waste producer at an incinerator or landfill permitted to accept that type of waste, or collected by a registered waste carrier and taken for disposal at a suitable permitted site. Search for and remove dead rodents at frequent intervals during treatment, at least as often as when baits are checked and / or replenished. Due to the action of this rodenticide, this may need to be as often as every few hours. Remove all baits after treatment and dispose of them in accordance with local requirements. For information on disposal in the UK contact the Environment Agency (<http://www.environment-agency.gov.uk>) or SEPA (<http://www.sepa.org.uk>).

**STORAGE:** The shelf-life of this product in its original container is two years under normal conditions of storage which should ideally be in a cool dry place, protected from food and secured away from food stuffs and inaccessible to pets and children. Follow all safety requirements during storage period.

**Active Ingredient:** ALPHACHLORALOSE 4% w/w, (40g/kg).

AUTHORISATION HOLDER: Phylsys SARL, Paris, CEDEX 15, France.

Rentokil Deadline Alpha Express Bait Blocks contain a 4% w/w mixture of alpha and beta isomers of the active substance Alphachloralose. IUPAC: (R) -1,2-O-(2,2,2-Trichloroethylidene)-α-D-glucofuranose, CAS; 158799-93-3.

**NOTE TO DOCTOR:** In the event of accidental consumption the patient should be kept quiet and warm and a doctor called. Airways should be kept clear. Avoid sedatives. For further information, contact your local National Poisons Information Centre.

**FIRST AID MEASURES:** Ingestion of excessive concentrations of this product may cause nervous system depression, headache and weakness leading to unconsciousness. No antidote. Treat symptomatically. However, the ingestion of large quantities of product is extremely unlikely due to the presence of the bittering agent Bitrex®. In case of accident or if you feel unwell, seek medical advice immediately and show the label where possible.

Warning: Very toxic to aquatic life with long lasting effects. Keep out of reach of children. Do not eat drink or smoke when using this product. Avoid release to the environment. Collect spillage. Get medical advice / attention if you feel unwell. If medical advice is needed, have product container or label at hand.

**AUTHORISATION NUMBER: UK-2013-0803; IE/BPA 70113**

Contents: 12x5g blocks e  
Batch No./Exp. Date: See pack

**Manufactured by:**  
**Rentokil Initial Supplies**  
Liverpool, L33 7SR, UK.  
Enquiries: 0151 548 5050  
[products@rentokil.com](mailto:products@rentokil.com)  
[www.rentokilproducts.com](http://www.rentokilproducts.com)  
Emergency line: 01342 833022

CLP15-058b CBD80



The bitter taste of Bitrex® helps to prevent accidental ingestion of this product.



Deadline is a registered trademark of Rentokil Initial plc.



# DEADLINE<sup>®</sup>

## ALPHA-EXPRESS BAIT BLOCKS

RODENTICIDE FOR PROFESSIONAL USE IN BAIT STATIONS TO CONTROL HOUSE MICE  
(*Mus musculus*) FOR HEALTH AND MATERIAL PROTECTION INDOORS.

12 x 5g  
Blocks e

Use biocides safely and sustainably. It is illegal to use this product for use or in a manner other than that prescribed on this label.

### DIRECTIONS FOR USE: For use only in the control of mice indoors. For professional use only as a rodenticide.

As this product is an acute rodenticide and a single feed is normally sufficient to achieve early control, baits should ideally be laid to treat infestations for periods of only 7-10 days. Refillable tamper-resistant bait stations are authorised for indoor use against mice. Start by obtaining the appropriate number of suitable tamper resistant bait stations required to treat the area. Load each bait station with one or two 5g blocks up to a maximum bait point size of 10g. Bait stations are manually placed in the rodent-infested area in covered and protected positions at distances of no more than 3 metres apart. Ideally bait boxes should be fixed to the ground. After treatment, if further rodent control is necessary a rodenticide with a different mode of action should be employed in order to alternate treatment regimes.

The resistance status of the rodent population to alphachloralose should be taken into account when considering the choice of rodenticide to be used. Where resistance to alphachloralose has been shown or is suspected, resistant management strategies should be employed.

#### SUMMARY OF CONDITIONS APPLIED TO THE USE OF THIS PRODUCT:

For professional use only as a rodenticide. For use only in tamper-resistant bait boxes. Use only indoors. The product is authorised against mice only. Prevent access to bait by children, birds and non-target animals (particularly dogs, cats, pigs and poultry). Baits must be securely deposited in a way so as to minimise the risk of consumption by other animals or children. Where possible, secure baits so that they cannot be dragged away. Bait should be laid for periods of at most 7 – 10 days. To avoid risks to human health and the environment comply with the instructions for use.

**DISPOSAL:** Dispose of contents/container in accordance with local regulations. Dispose of dead rodents in accordance with local requirements. (In the UK poisoned rodents may be disposed of by the waste producer at an incinerator or landfill permitted to accept that type of waste, or collected by a registered waste carrier and taken for disposal at a suitable permitted site. Search for and remove dead rodents at frequent intervals during treatment, at least as often as when baits are checked and / or replenished. Due to the action of this rodenticide, this may need to be as often as every few hours. Remove all baits after treatment and dispose of them in accordance with local requirements. For information on disposal in the UK contact the Environment Agency (<http://www.environment-agency.gov.uk>) or SEPA (<http://www.sepa.org.uk>).

**STORAGE:** The shelf-life of this product in its original container is two years under normal conditions of storage which should ideally be in a cool dry place, protected from food and secured away from food stuffs and inaccessible to pets and children. Follow all safety requirements during storage period.

**Active Ingredient:** ALPHACHLORALOSE 4% w/w, (40g/kg).

AUTHORISATION HOLDER: Phylsys SARL, Paris, CEDEX 15, France.

Rentokil Deadline Alpha Express Bait Blocks contain a 4% w/w mixture of alpha and beta isomers of the active substance Alphachloralose. IUPAC: (R) -1,2-O-(2,2,2-Trichloroethylidene)- $\alpha$ -D-glucofuranose, CAS; 15879-93-3.

**NOTE TO DOCTOR:** In the event of accidental consumption the patient should be kept quiet and warm and a doctor called. Airways should be kept clear. Avoid sedatives. For further information, contact your local National Poisons Information Centre.

**FIRST AID MEASURES:** Ingestion of excessive concentrations of this product may cause nervous system depression, headache and weakness leading to unconsciousness. No antidote. Treat symptomatically. However, the ingestion of large quantities of product is extremely unlikely due to the presence of the bittering agent Bitrex<sup>®</sup>. In case of accident or if you feel unwell, seek medical advice immediately and show the label where possible.

Warning: Very toxic to aquatic life with long lasting effects. Keep out of reach of children. Do not eat drink or smoke when using this product. Avoid release to the environment. Collect spillage. Get medical advice / attention if you feel unwell. If medical advice is needed, have product container or label at hand.

**AUTHORISATION NUMBER: UK-2013-0803; IE/BPA 70113**

Contents: 12x5g blocks e  
Batch No./Exp. Date: See pack

**Manufactured by:**  
**Rentokil Initial Supplies**  
Liverpool, L33 7SR, UK.  
Enquiries: 0151 548 5050  
[products@rentokil.com](mailto:products@rentokil.com)  
[www.rentokilproducts.com](http://www.rentokilproducts.com)  
Emergency line: 01342 833022

CLP15-058c CLD43



The bitter taste of Bitrex<sup>®</sup> helps to prevent accidental ingestion of this product.



Deadline is a registered trademark of Rentokil Initial plc.

